

# AdmissionsRegistrar XML Schema

```
<?xml version="1.0" encoding="utf-8" ?>
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Bruce Robert Marton (The University of Texas at Austin) -->
<!-- ===== -->
<!-- Additional Student Achievements Types -->
- <xs:schema targetNamespace="http://schemas.pescxml.org/0001/xsd/AdmissionsRegistrar"
  xmlns:AdmReg="http://schemas.pescxml.org/0001/xsd/AdmissionsRegistrar"
  xmlns:core="http://schemas.pescxml.org/0001/xsd/Core" xmlns:xs="http://www.w3.org/2001/XMLSchema"
  elementFormDefault="unqualified" attributeFormDefault="unqualified" version="0001">
  <xs:import namespace="http://schemas.pescxml.org/0001/xsd/Core" schemaLocation="CoreMain.xsd" />
  <!-- ===== -->
  <!-- Name: AdmissionsRegistrar.xsd (from PESCBASEDataDictionary.xsd 1.3.9) -->
  <!-- Version: 1.0.0 -->
  <!-- Date: 24-Jul y-2002 -->
  <!-- -->
  <!-- ChangeCode Log: -->
  <!-- 1.0.0 24-July-2002 Mike Rawlins - Initial version based on splitting PESCBASEDataDictionary into core
  and sector -->
  <!-- 00.01 26-July-2002 Bruce Marton - Minor revisions to initial version. Versioning scheme changed to
  reflect technical specification of a major and minor version number. This version is released for public comment pe
  <!-- ===== -->
  <!-- -->
  <!-- ===== -->
  <!-- CoreComponent Types -->
  <!-- ===== -->
- <xs:complexType name="PersonType">
- <xs:sequence>
  <xs:element name="PersonID" type="AdmReg:PersonIDType" maxOccurs="unbounded" />
  <xs:element name="Birth" type="AdmReg:BirthType" minOccurs="0" />
  <xs:element name="Name" type="AdmReg:NameType" maxOccurs="unbounded" />
- <xs:element name="Contacts" minOccurs="0" maxOccurs="unbounded">
- <xs:complexType>
- <xs:complexContent>
- <xs:restriction base="AdmReg:ContactsType">
- <xs:sequence>
- <xs:element name="Address" minOccurs="0" maxOccurs="unbounded">
- <xs:complexType>
- <xs:complexContent>
- <xs:restriction base="AdmReg:AddressType">
- <xs:sequence>
```

```

    <xs:element name="AddressType" type="core:AddressTypeType"
      minOccurs="0" />
    <xs:element name="AddressFormat" type="core:AddressFormatType"
      minOccurs="0" />
    <xs:element name="AddressLine" type="core:AddressLineType"
      minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="AddressCity" type="core:AddressCityType"
      minOccurs="0" />
    <xs:element name="AddressStateProvince"
      type="core:AddressStateProvinceType" minOccurs="0" />
    <xs:element name="AddressPostalCode"
      type="core:AddressPostalCodeType" minOccurs="0" />
    <xs:element name="AddressCountry" type="core:AddressCountryType"
      minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
      maxOccurs="unbounded" />
  </xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>
</xs:element>
<xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
  maxOccurs="unbounded" />
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>
</xs:element>
<xs:element name="Gender" type="AdmReg:GenderType" minOccurs="0" />
<xs:element name="Citizenship" type="AdmReg:CitizenshipType" minOccurs="0" maxOccurs="unbounded" />
<xs:element name="Residency" type="AdmReg:ResidencyType" minOccurs="0" />
<xs:element name="Deceased" type="AdmReg:DeceasedType" minOccurs="0" />
<xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="EntityType" >
  - <xs:sequence>
    <xs:element name="EntityType" type="core:EntityTypeType" minOccurs="0" />
    <xs:element name="EntityID" type="AdmReg:EntityIDType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="EntityName" type="AdmReg:EntityNameType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="Contacts" type="AdmReg:ContactsType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />

```

```

    </xs:sequence>
  </xs:complexType>
- <xs:complexType name="StudentType">
- <xs:annotation>
  <xs:documentation>Student Type</xs:documentation>
  </xs:annotation>
- <xs:sequence>
  <xs:element name="Person" type="AdmReg:PersonType" />
  <xs:element name="Health" type="AdmReg:HealthType" minOccurs="0" />
  <xs:element name="Tests" type="AdmReg:TestsType" minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="SourceDestinationType">
- <xs:annotation>
  <xs:documentation>Source Type</xs:documentation>
  </xs:annotation>
- <xs:sequence>
  <xs:element name="Entity" type="AdmReg:EntityType" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="TransmissionDataType">
- <xs:annotation>
  <xs:documentation>TransmissionData Type</xs:documentation>
  </xs:annotation>
- <xs:sequence>
  <xs:element name="TransmissionDateTime" type="core:TransmissionDateTimeType" />
  <xs:element name="TransmissionType" type="core:TransmissionTypeType" />
  <xs:element name="TransmissionReason" type="core:TransmissionReasonType" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Academi cRecord Types -->
<!-- ===== -->
- <xs:complexType name="AcademicRecordType">
- <xs:sequence>
  <xs:element name="Institution" type="AdmReg:InstitutionType" minOccurs="0" />
  <xs:element name="AcademicAward" type="AdmReg:AcademicAwardType" minOccurs="0"
    maxOccurs="unbounded" />

```

```

- <xs:element name="AcademicSummary" minOccurs="0" maxOccurs="unbounded">
- <xs:complexType>
- <xs:complexContent>
- <xs:restriction base="AdmReg:AcademicSummaryType">
- <xs:sequence>
  <xs:element name="AcademicSummaryType" type="core:AcademicSummaryTypeType"
    minOccurs="0" />
  <xs:element name="GPA" type="AdmReg:GPAType" minOccurs="0" />
- <xs:element name="AcademicProgram" minOccurs="0" maxOccurs="unbounded">
- <xs:complexType>
- <xs:complexContent>
- <xs:restriction base="AdmReg:AcademicProgramType">
- <xs:sequence>
  <xs:element name="ProgramCodeQualifier"
    type="core:ProgramCodeQualifierType" minOccurs="0" />
  <xs:element name="ProgramCode" type="core:ProgramCodeType"
    minOccurs="0" />
  <xs:element name="ProgramType" type="core:ProgramTypeType"
    minOccurs="0" />
  <xs:element name="ProgramName" type="core:ProgramNameType"
    minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
    maxOccurs="unbounded" />
  </xs:sequence>
  </xs:restriction>
  </xs:complexContent>
  </xs:complexType>
  </xs:element>
  <xs:element name="AcademicHonors" type="AdmReg:AcademicHonorsType"
    minOccurs="0" />
  <xs:element name="ClassRank" type="core:ClassRankType" minOccurs="0" />
  <xs:element name="ClassSize" type="core:ClassSizeType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
    maxOccurs="unbounded" />
  </xs:sequence>
  </xs:restriction>
  </xs:complexContent>
  </xs:complexType>
  </xs:element>
  <xs:element name="AcademicSession" type="AdmReg:AcademicSessionType" minOccurs="0"
    maxOccurs="unbounded" />
  <xs:element name="Courses" type="AdmReg:CoursesType" minOccurs="0" maxOccurs="unbounded" />

```

```

    <xs:element name="AdditionalStudentAchievements" type="AdmReg:AdditionalStudentAchievementsType"
      minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="AcademicSessionType">
  - <xs:sequence>
    <xs:element name="AcademicSessionType" minOccurs="0" />
    - <xs:element name="AcademicSessionID" minOccurs="0">
      - <xs:complexType>
        - <xs:complexContent>
          - <xs:restriction base="core:AcademicSessionIDType">
            - <xs:sequence>
              <xs:element name="SessionID" type="core:SessionIDType" />
              <xs:element name="SessionIDSuffix" type="core:SessionIDSuffixType" minOccurs="0" />
              <xs:element name="SessionName" type="core:SessionNameType" minOccurs="0" />
              <xs:element name="SessionBeginDate" type="core:SessionBeginDateType" minOccurs="0" />
              <xs:element name="SessionEndDate" type="core:SessionEndDateType" minOccurs="0" />
              <xs:element name="Note" type="core:NoteType" minOccurs="0" maxOccurs="unbounded" />
            </xs:sequence>
          </xs:restriction>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
    - <xs:element name="InstitutionOverrideCode" type="core:InstitutionOverrideCodeType" minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Datatype not defined on spreadsheet</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="Institution" type="AdmReg:InstitutionType" minOccurs="0" />
    <xs:element name="StudentLevel" type="AdmReg:StudentLevelType" minOccurs="0" />
    <xs:element name="AcademicProgram" type="AdmReg:AcademicProgramType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="AcademicAward" type="AdmReg:AcademicAwardType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="Courses" type="AdmReg:CoursesType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="AcademicSummary" type="AdmReg:AcademicSummaryType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>

```

```

- <xs:complexType name="AcademicSummaryType">
  - <xs:sequence>
    <xs:element name="AcademicSummaryType" type="core:AcademicSummaryTypeType" minOccurs="0" />
    <xs:element name="GPA" type="AdmReg:GPAType" minOccurs="0" />
  - <xs:element name="AcademicProgram" minOccurs="0" maxOccurs="unbounded">
    - <xs:complexType>
      - <xs:complexContent>
        - <xs:restriction base="AdmReg:AcademicProgramType">
          - <xs:sequence>
            <xs:element name="ProgramCodeQualifier" type="core:ProgramCodeQualifierType"
              minOccurs="0" />
            <xs:element name="ProgramCode" type="core:ProgramCodeType" minOccurs="0" />
            <xs:element name="ProgramType" type="core:ProgramTypeType" minOccurs="0" />
            <xs:element name="ProgramName" type="core:ProgramNameType" minOccurs="0" />
            <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
              maxOccurs="unbounded" />
          </xs:sequence>
        </xs:restriction>
      </xs:complexContent>
    </xs:complexType>
  </xs:element>
  <xs:element name="AcademicHonors" type="AdmReg:AcademicHonorsType" minOccurs="0" />
  <xs:element name="ClassRank" type="core:ClassRankType" minOccurs="0" />
  <xs:element name="ClassSize" type="core:ClassSizeType" minOccurs="0" />
  <xs:element name="Delinquencies" type="core:DelinquenciesType" minOccurs="0" />
  <xs:element name="ExitDate" type="core:ExitDateType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="AdditionalStudentAchievementsType">
  - <xs:sequence>
    <xs:element name="Proficiency" type="core:ProficiencyType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="Language" type="AdmReg:LanguageType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="StudentPublications" type="core:StudentPublicationsType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="Licensure" type="AdmReg:LicensureType" minOccurs="0" maxOccurs="unbounded" />
  - <xs:element name="StudentActivities" type="AdmReg:StudentActivitiesType" minOccurs="0"
    maxOccurs="unbounded">
    - <xs:annotation>
      <xs:documentation>** Min/Max and valid codelist defined for an aggregate.</xs:documentation>
    </xs:annotation>

```

```

    </xs:element>
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="AcademicAwardType">
  - <xs:sequence>
    <xs:element name="AcademicAwardLevel" type="core:AcademicAwardLevelType" minOccurs="0" />
    <xs:element name="AcademicAwardDate" type="core:AcademicAwardDateType" minOccurs="0" />
    <xs:element name="AcademicAwardTitle" type="core:AcademicAwardTitleType" minOccurs="0" />
    <xs:element name="AcademicHonors" type="AdmReg:AcademicHonorsType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="AcademicCompletionIndicator" type="core:AcademicCompletionIndicatorType"
      minOccurs="0" />
    <xs:element name="AcademicCompletionDate" type="core:AcademicCompletionDateType" minOccurs="0" />
    <xs:element name="AcademicAwardProgram" type="AdmReg:AcademicProgramType" minOccurs="0"
      maxOccurs="unbounded" />
  - <xs:element name="AcademicDegreeRequirement" type="AdmReg:AcademicDegreeRequirementType"
    minOccurs="0" maxOccurs="unbounded">
    - <xs:annotation>
      <xs:documentation>** GradDegree defined on spreadsheet.</xs:documentation>
    </xs:annotation>
  </xs:element>
- <xs:element name="AcademicSummary" minOccurs="0" maxOccurs="unbounded">
  - <xs:complexType>
    - <xs:complexContent>
      - <xs:restriction base="AdmReg:AcademicSummaryType">
        - <xs:sequence>
          <xs:element name="AcademicSummaryType" type="core:AcademicSummaryTypeType"
            minOccurs="0" />
          <xs:element name="GPA" type="AdmReg:GPAType" minOccurs="0" />
        - <xs:element name="AcademicProgram" minOccurs="0" maxOccurs="unbounded">
          - <xs:complexType>
            - <xs:complexContent>
              - <xs:restriction base="AdmReg:AcademicProgramType">
                - <xs:sequence>
                  <xs:element name="ProgramCodeQualifier"
                    type="core:ProgramCodeQualifierType" minOccurs="0" />
                  <xs:element name="ProgramCode" type="core:ProgramCodeType"
                    minOccurs="0" />
                  <xs:element name="ProgramType" type="core:ProgramTypeType"
                    minOccurs="0" />
                  <xs:element name="ProgramName" type="core:ProgramNameType"

```

```

        minOccurs="0" />
        <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
            maxOccurs="unbounded" />
    </xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>
</xs:element>
<xs:element name="AcademicHonors" type="AdmReg:AcademicHonorsType"
    minOccurs="0" />
<xs:element name="ClassRank" type="core:ClassRankType" minOccurs="0" />
<xs:element name="ClassSize" type="core:ClassSizeType" minOccurs="0" />
<xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
    maxOccurs="unbounded" />
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>
</xs:element>
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="EnrollmentStatusCodeType">
- <xs:sequence>
    <xs:element name="StudentLevel" type="AdmReg:StudentLevelType" minOccurs="0" />
    <xs:element name="Attendance" type="AdmReg:AttendanceType" minOccurs="0" />
    <xs:element name="DegreeSeekingStatusCode" type="core:DegreeSeekingStatusCodeType" minOccurs="0" />
- <xs:element name="ProgramLevel" type="core:ProgramLevelType" minOccurs="0">
- <xs:annotation>
    <xs:documentation>** Min defined but no Max.</xs:documentation>
</xs:annotation>
</xs:element>
- <xs:element name="AcademicProgram" type="AdmReg:AcademicProgramType" minOccurs="0">
- <xs:annotation>
    <xs:documentation>** Program defined as aggregate but no aggregate on
        spreadsheet.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="EnrollDate" type="core:EnrollDateType" minOccurs="0" />
<xs:element name="ExitDate" type="core:ExitDateType" minOccurs="0" />
<xs:element name="EligibilityEndDate" type="core:EligibilityEndDateType" minOccurs="0" />

```

```

    <xs:element name="AnticipatedGraduationDate" type="core:AnticipatedGraduationDateType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- AdmissionsApplicationTypes -->
<!-- ===== -->
- <xs:complexType name="AdmissionDecisionType">
- <xs:annotation>
  <xs:documentation>Admission Decision Type</xs:documentation>
</xs:annotation>
- <xs:sequence>
  <xs:element name="AcademicSession" type="AdmReg:AcademicSessionType" minOccurs="0" />
  <xs:element name="AdmissionStatusCode" type="core:AdmissionStatusCodeType" minOccurs="0" />
  <xs:element name="AdmissionStatusDate" type="core:AdmissionStatusDateType" minOccurs="0" />
  <xs:element name="AdmissionTypeType" type="core:AdmissionTypeType" minOccurs="0" />
  <xs:element name="CohortYear" type="core:CohortYearType" minOccurs="0" />
  <xs:element name="StudentLevel" type="AdmReg:StudentLevelType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="GraduateLevelCreditAllocationType">
- <xs:annotation>
  <xs:documentation>Ref. Graduate Level Indicators Type in Core Componentes</xs:documentation>
</xs:annotation>
- <xs:sequence>
  <xs:element name="HoursAppliedOtherProgram" type="core:HoursAppliedOtherProgramType"
    minOccurs="0" />
  <xs:element name="HoursAppliedOtherProgramType" type="core:HoursAppliedOtherProgramTypeType"
    minOccurs="0" />
  <xs:element name="SpecialProgramAdmissionIndicator" type="core:SpecialProgramAdmissionIndicatorType"
    minOccurs="0" />
  <xs:element name="UndergradHoursInGradDegree" type="core:UndergradHoursInGradDegreeType"
    minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="TestsType">
- <xs:annotation>
  <xs:documentation>Tests Type</xs:documentation>
</xs:annotation>

```

```

- <xs:sequence>
  <xs:element name="TestCode" type="core:TestCodeType" />
  <xs:element name="TestName" type="core:TestNameType" minOccurs="0" />
  <xs:element name="TestDate" type="core:TestDateType" />
  <xs:element name="StudentLevel" type="AdmReg:StudentLevelType" minOccurs="0" />
  <xs:element name="Subtest" type="AdmReg:SubtestsType" maxOccurs="unbounded" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="TransferCreditType">
  - <xs:annotation>
    <xs:documentation>Transfer Credit Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="TransferCoursesAccepted" type="AdmReg:CoursesType" minOccurs="0" />
    - <xs:element name="TransferCreditHoursAccepted" type="core:TransferCreditHoursAcceptedType"
      minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Defined as datatype Number with Min/Max of 1/3. Also defined as pattern F5.2.
          This is inconsistent.</xs:documentation>
      </xs:annotation>
    </xs:element>
    - <xs:element name="TransferCreditHoursAppliedtoDegree" type="AdmReg:TransferCreditType" minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Defined as datatype Number with Min/Max of 1/3. Also defined as pattern F5.2.
          This is inconsistent.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="TransferStudentLevel" type="AdmReg:StudentLevelType" minOccurs="0" />
    <xs:element name="TransferStudentHonors" type="AdmReg:AcademicHonorsType" minOccurs="0" />
    <xs:element name="TransferStudentSummary" type="AdmReg:AcademicSummaryType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Employment Types -->
<!-- ===== -->
- <xs:complexType name="EmploymentType">
  - <xs:sequence>
    <xs:element name="Employer" type="AdmReg:EntityType" minOccurs="0" />
    <xs:element name="EmployerType" type="core:EmployerTypeType" minOccurs="0" />

```

```

    <xs:element name="EmploymentBeginDate" type="core:EmploymentBeginDateType" minOccurs="0" />
    <xs:element name="EmploymentEndDate" type="core:EmploymentEndDateType" minOccurs="0" />
    <xs:element name="EmploymentTitle" type="core:EmploymentTitleType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Entity Types -->
<!-- ===== -->
- <xs:complexType name="ContactsType">
- <xs:sequence>
  <xs:element name="Address" type="AdmReg:AddressType" minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="Phone" type="AdmReg:PhoneType" minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="Email" type="AdmReg:EmailType" minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="URL" type="AdmReg:URLType" minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="EntityIDType">
- <xs:sequence>
  <xs:element name="EntityIDCodeQualifier" type="core:EntityIDCodeQualifierType" />
  <xs:element name="EntityIDCode" type="core:EntityIDCodeType" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="EntityNameType">
- <xs:sequence>
  <xs:element name="EntityNameType" type="core:EntityNameTypeType" minOccurs="0" />
  <xs:element name="EntityNameValue" type="core:EntityNameValueType" />
  <xs:element name="EntityCommunicationContactName" type="core:EntityCommunicationContactNameType"
    minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Person Types -->
<!-- ===== -->
- <xs:complexType name="BirthType">
- <xs:sequence>
  <xs:element name="BirthDate" type="core:BirthDateType" minOccurs="0" />
  <xs:element name="DeceasedIndicator" type="core:DeceasedIndicatorType" minOccurs="0" />

```

```

        <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
- <xs:complexType name="CitizenshipType">
    - <xs:sequence>
        <xs:element name="CitizenshipStatusCode" type="core:CitizenshipStatusCodeType" minOccurs="0" />
        <xs:element name="CitizenshipCountry" type="core:CitizenshipCountryType" minOccurs="0" />
        <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
- <xs:complexType name="DeceasedType">
    - <xs:sequence>
        <xs:element name="DeceasedIndicator" type="core:DeceasedIndicatorType" minOccurs="0" />
        <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
- <xs:complexType name="GenderType">
    - <xs:sequence>
        <xs:element name="GenderCode" type="core:GenderCodeType" />
        <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
- <xs:complexType name="PersonIDType">
    - <xs:sequence>
        <xs:element name="PersonIDCodeQualifier" type="core:PersonIDCodeQualifierType" />
        <xs:element name="PersonIDCode" type="core:PersonIDCodeType" />
        <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
- <xs:complexType name="ImmigrationType">
    - <xs:sequence>
        <xs:element name="AlienRegistrationNumber" type="core:AlienRegistrationNumberType" minOccurs="0" />
        <xs:element name="FirstEntryIntoUSDate" type="core:FirstEntryIntoUSDateType" minOccurs="0" />
        <xs:element name="ImmigrationI20Request" type="core:ImmigrationI20RequestType" minOccurs="0" />
        <xs:element name="NonImmigrantVisaIssueDate" type="core:NonImmigrantVisaIssueDateType"
            minOccurs="0" />
        <xs:element name="NonImmigrantVisaNumber" type="core:NonImmigrantVisaNumberType" minOccurs="0" />
        <xs:element name="NonImmigrantVisaStatusChangeCode"
            type="core:NonImmigrantVisaStatusChangeCodeType" minOccurs="0" />
        <xs:element name="NonImmigrantVisaStatusChangeDate"
            type="core:NonImmigrantVisaStatusChangeDateType" minOccurs="0" />
    </xs:sequence>
</xs:complexType>

```

```

    <xs:element name="NonImmigrantVisaType" type="core:NonImmigrantVisaType" minOccurs="0" />
    <xs:element name="RequiredFormsReceiveDate" type="core:RequiredFormsReceiveDateType"
      minOccurs="0" />
    <xs:element name="Sponsor" type="AdmReg:SponsorType" minOccurs="0" />
    <xs:element name="USStudyFormsReceipt" type="core:USStudyFormsReceiptType" minOccurs="0" />
    <xs:element name="VisaExpirationDate" type="core:VisaExpirationDateType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="MaritalType">
  - <xs:sequence>
    <xs:element name="MaritalStatusCode" type="core:MaritalStatusCodeType" minOccurs="0" />
    <xs:element name="MaritalStatusChangeCode" type="core:MaritalStatusChangeCodeType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="NameType">
  - <xs:sequence>
    <xs:element name="NameType" type="core:NameTypeType" minOccurs="0" />
    <xs:element name="NameFirst" type="core:NameFirstType" minOccurs="0" />
    <xs:element name="NameMiddle" type="core:NameMiddleType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="NameLast" type="core:NameLastType" minOccurs="0" />
    <xs:element name="NameSuffix" type="core:NameSuffixType" minOccurs="0" />
    <xs:element name="NameTitle" type="core:NameTitleType" minOccurs="0" />
    <xs:element name="NameFull" type="core:NameFullType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="RaceEthnicityType">
  - <xs:sequence>
    <xs:element name="NationalEthnicOrigin" type="core:NationalorEthnicOriginType" minOccurs="0" />
    <xs:element name="RaceEthnicityClassification" type="core:RaceEthnicityClassificationType" minOccurs="0" />
    <xs:element name="RaceEthnicityClassificationNew" type="core:RaceEthnicityClassificationNewType"
      minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="InstitutionType">
  - <xs:sequence>
    <xs:element name="Entity" type="AdmReg:EntityType" />
    <xs:element name="InstitutionLevel" type="core:InstitutionLevelType" minOccurs="0" />

```

```

    <xs:element name="InstitutionType" type="core:InstitutionTypeType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ResidencyType">
  - <xs:sequence>
    <xs:element name="ResidencyStatusCode" type="core:ResidencyStatusCodeType" minOccurs="0" />
    <xs:element name="ResidencyCounty" type="core:ResidencyCountyType" minOccurs="0" />
    <xs:element name="ResidencyCountyCode" type="core:CountyCodeType" minOccurs="0" />
    <xs:element name="ResidencyStateProvince" type="core:ResidencyStateProvinceType" minOccurs="0" />
    <xs:element name="ResidencyStateProvinceCode" type="core:StateProvinceCodeType" minOccurs="0" />
    <xs:element name="ResidencyCountry" type="core:ResidencyCountryType" minOccurs="0" />
    <xs:element name="ResidencyCountryCode" type="core:CountryCodeType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Student Types -->
<!-- ===== -->
- <xs:complexType name="FamilyType">
  - <xs:annotation>
    <xs:documentation>Family Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    - <xs:element name="Father" type="AdmReg:PersonType" minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Min/Max of 2/2 defined for an aggregate.</xs:documentation>
      </xs:annotation>
    </xs:element>
    - <xs:element name="Mother" type="AdmReg:PersonType" minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Min/Max of 2/2 defined for an aggregate.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="ParentsMaritalStatusCode" type="core:ParentsMaritalStatusCodeType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="GovernmentMilitaryType">
  - <xs:annotation>
    <xs:documentation>Government Military Type</xs:documentation>

```

```

    </xs:annotation>
- <xs:sequence>
    <xs:element name="GovernmentBenefits" type="core:GovernmentBenefitsType" minOccurs="0" />
    <xs:element name="MilitaryRelationshipStatusCode" type="core:MilitaryRelationshipStatusCodeType"
      minOccurs="0" />
    <xs:element name="SelectiveServiceIndicator" type="core:SelectiveServiceIndicatorType" minOccurs="0" />
    <xs:element name="SelectiveServiceNumber" type="core:SelectiveServiceNumberType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="HealthType">
- <xs:annotation>
    <xs:documentation>Health Type</xs:documentation>
  </xs:annotation>
- <xs:sequence>
    <xs:element name="Immunizations" type="AdmReg:ImmunizationsType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="LanguageType">
- <xs:sequence>
- <xs:element name="LanguageCode" type="core:LanguageCodeType" minOccurs="0">
- <xs:annotation>
    <xs:documentation>** Min/Max of 9/9 does not appear to be correct.</xs:documentation>
  </xs:annotation>
</xs:element>
    <xs:element name="LanguageProficiency" type="core:LanguageProficiencyType" minOccurs="0" />
    <xs:element name="LanguageUsage" type="core:LanguageUsageType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Contacts Types -->
<!-- ===== -->
- <xs:complexType name="AddressType">
- <xs:sequence>
    <xs:element name="AddressType" type="core:AddressTypeType" minOccurs="0" />
    <xs:element name="AddressFormat" type="core:AddressFormatType" minOccurs="0" />
    <xs:element name="AddressLine" type="core:AddressLineType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="AddressCity" type="core:AddressCityType" minOccurs="0" />

```

```

    <xs:element name="AddressStateProvince" type="core:AddressStateProvinceType" minOccurs="0" />
    <xs:element name="AddressPostalCode" type="core:AddressPostalCodeType" minOccurs="0" />
    <xs:element name="AddressCountry" type="core:AddressCountryType" minOccurs="0" />
    <xs:element name="AddressAttentionLine" type="core:AddressAttentionLineType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="EmailType">
  - <xs:sequence>
    <xs:element name="EmailAddress" type="core:EmailAddressType" minOccurs="0" />
    <xs:element name="EmailAddressType" type="core:EmailAddressTypeType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="PhoneType">
  - <xs:sequence>
    <xs:element name="PhoneNumber" type="core:PhoneNumberType" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="PhoneNumberCountryPrefix" type="core:PhoneNumberCountryPrefixType"
      minOccurs="0" />
    <xs:element name="PhoneNumberType" type="core:PhoneNumberTypeType" minOccurs="0"
      maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="URLType">
  - <xs:sequence>
    <xs:element name="URLAddress" type="core:URLAddressType" minOccurs="0" />
    <xs:element name="URLAddressType" type="core:URLAddressType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="PrivacyRestrictionType">
  - <xs:sequence>
    <xs:element name="PrivacyRestrictionDate" type="core:PrivacyRestrictionDateType" minOccurs="0" />
    <xs:element name="PrivacyRestrictionLevel" type="core:PrivacyRestrictionLevelType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Academi cSessi on Types -->

```

```

<!-- ===== -->
- <xs:complexType name="AcademicSessionIDType">
- <xs:sequence>
  <xs:element name="SessionID" type="core:SessionIDType" minOccurs="0" />
  <xs:element name="SessionIDSuffix" type="core:SessionIDSuffixType" minOccurs="0" />
  <xs:element name="SessionName" type="core:SessionNameType" minOccurs="0" />
  <xs:element name="SessionBeginDate" type="core:SessionBeginDateType" minOccurs="0" />
  <xs:element name="SessionEndDate" type="core:SessionEndDateType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="CoursesType">
- <xs:sequence>
  <xs:element name="CourseCreditBasis" type="core:CourseCreditBasisType" minOccurs="0" />
  <xs:element name="CourseCreditUnits" type="core:CourseCreditUnitsType" minOccurs="0" />
  <xs:element name="CourseCreditLevel" type="core:CourseCreditLevelType" minOccurs="0" />
  <xs:element name="CourseCreditValue" type="core:CourseCreditValueType" minOccurs="0" />
  <xs:element name="CourseCreditEarned" type="core:CourseCreditEarnedType" minOccurs="0" />
  <xs:element name="CourseAcademicGradeQualifier" type="core:CourseAcademicGradeQualifierType"
    minOccurs="0" />
  <xs:element name="CourseAcademicGrade" type="core:CourseAcademicGradeType" minOccurs="0" />
  <xs:element name="CourseNarrativeExplanationGrade" type="core:CourseNarrativeExplanationGradeType"
    minOccurs="0" />
  <xs:element name="CourseRepeatIndicator" type="core:CourseRepeatIndicatorType" minOccurs="0" />
  <xs:element name="CourseSubjectCodeQualifier" type="core:CourseSubjectCodeQualifierType"
    minOccurs="0" />
  <xs:element name="CourseSubjectCode" type="core:CourseSubjectCodeType" minOccurs="0" />
  <xs:element name="CourseQualityPointsEarned" type="core:CourseQualityPointsEarnedType" minOccurs="0" />
  <xs:element name="CourseLevel" type="core:CourseLevelType" minOccurs="0" />
  <xs:element name="CourseSubjectAbbreviation" type="core:CourseSubjectAbbreviationType" minOccurs="0" />
  <xs:element name="CourseNumber" type="core:CourseNumberType" minOccurs="0" />
  <xs:element name="CourseSectionNumber" type="core:CourseSectionNumberType" minOccurs="0" />
  <xs:element name="CourseTitle" type="core:CourseTitleType" minOccurs="0" />
  <xs:element name="CourseAddDate" type="core:CourseAddDateType" minOccurs="0" />
  <xs:element name="CourseDropDate" type="core:CourseDropDateType" minOccurs="0" />
  <xs:element name="CourseInstitutionOverrideCode" type="core:InstitutionOverrideCodeType"
    minOccurs="0" />
- <xs:element name="OverrideInstitutionCourseNumber" type="core:OverrideInstitutionCourseNumberType"
  minOccurs="0">
- <xs:annotation>
  <xs:documentation>** Datatype not specified on spreadsheet.</xs:documentation>

```

```

    </xs:annotation>
  </xs:element>
  <xs:element name="CourseOverrideInstitution" type="AdmReg:InstitutionType" minOccurs="0" />
  <xs:element name="CourseApplicability" type="core:CourseApplicabilityType" minOccurs="0" />
  <xs:element name="CourseBeginDate" type="core:CourseBeginDateType" minOccurs="0" />
  <xs:element name="CourseEndDate" type="core:CourseEndDateType" minOccurs="0" />
  <xs:element name="CourseInstructionSite" type="core:CourseInstructionSiteType" minOccurs="0" />
  <xs:element name="CourseInstructionMethod" type="core:CourseInstructionMethodType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Academi cSummary Types -->
<!-- ===== -->
- <xs:complexType name="AcademicHonorsType">
- <xs:sequence>
  <xs:element name="HonorsTitle" type="core:HonorsRecognitionTitleType" minOccurs="0" />
  <xs:element name="HonorsLevel" type="core:HonorsRecognitionLevelType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="GPAType">
- <xs:sequence>
  <xs:element name="CreditHoursAttempted" type="core:CreditHoursAttemptedType" minOccurs="0" />
  - <xs:element name="CreditHoursEarned" type="core:CreditHoursEarnedType" minOccurs="0">
    - <xs:annotation>
      <xs:documentation>** Datatype is defined as number. Min/Max is 1/3. Pattern is F5.2. This is inconsistent.</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="GradePointAverage" type="core:GradePointAverageType" minOccurs="0" />
  - <xs:element name="TotQualityPoints" type="core:TotQualityPointsType" minOccurs="0">
    - <xs:annotation>
      <xs:documentation>** Datatype is defined as number. Min/Max is 1/3. Pattern is F5.2. This is inconsistent.</xs:documentation>
    </xs:annotation>
  </xs:element>
  - <xs:element name="CreditHoursforGPA" type="core:CreditHoursforGPAType" minOccurs="0">
    - <xs:annotation>
      <xs:documentation>** Datatype is defined as number. Min/Max is 1/3. Pattern is F5.2. This is inconsistent.</xs:documentation>
    </xs:annotation>
  </xs:element>

```

```

        </xs:annotation>
    </xs:element>
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- ===== -->
- <xs:complexType name="LicensureType">
- <xs:sequence>
    <xs:element name="LicensurePassage" type="core:LicensurePassageType" minOccurs="0"
        maxOccurs="unbounded" />
    <xs:element name="LicensurePassageLevel" type="core:LicensurePassageLevelType" minOccurs="0"
        maxOccurs="unbounded" />
    <xs:element name="LicensurePassageDate" type="core:LicensurePassageDateType" minOccurs="0"
        maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="StudentActivitiesType">
- <xs:sequence>
    <xs:element name="PaidParticipation" type="core:PaidParticipationType" minOccurs="0" />
    <xs:element name="ParticipationLevel" type="core:ParticipationLevelType" minOccurs="0" />
    <xs:element name="Recruited" type="core:RecruitedType" minOccurs="0" />
    <xs:element name="SchoolSponsored" type="core:SchoolSponsoredType" minOccurs="0" />
    <xs:element name="ServicesReceived" type="core:ServicesReceivedType" minOccurs="0" />
- <xs:element name="StudentActivitiesCode" minOccurs="0">
- <xs:complexType>
    - <xs:simpleContent>
        <xs:restriction base="AdmReg:StudentActivitiesCodeType" />
    </xs:simpleContent>
    </xs:complexType>
</xs:element>
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Academi cAward Types -->
<!-- ===== -->
- <xs:complexType name="AcademicProgramType">
- <xs:sequence>
    <xs:element name="ProgramCodeQualifier" type="core:ProgramCodeQualifierType" minOccurs="0" />

```

```

<xs:element name="ProgramCode" type="core:ProgramCodeType" minOccurs="0" />
<xs:element name="ProgramType" type="core:ProgramTypeType" minOccurs="0" />
<xs:element name="ProgramName" type="core:ProgramNameType" minOccurs="0" />
- <xs:element name="ProgramSummary" minOccurs="0">
- <xs:complexType>
- <xs:complexContent>
- <xs:restriction base="AdmReg:AcademicSummaryType">
- <xs:sequence>
  <xs:element name="AcademicSummaryType" type="core:AcademicSummaryTypeType"
    minOccurs="0" />
  <xs:element name="GPA" type="AdmReg:GPAType" minOccurs="0" />
  <xs:element name="AcademicHonors" type="AdmReg:AcademicHonorsType"
    minOccurs="0" />
  <xs:element name="ClassRank" type="core:ClassRankType" minOccurs="0" />
  <xs:element name="ClassSize" type="core:ClassSizeType" minOccurs="0" />
  <xs:element name="Delinquencies" type="core:DelinquenciesType" minOccurs="0" />
  <xs:element name="ExitDate" type="core:ExitDateType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0"
    maxOccurs="unbounded" />
  </xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>
</xs:element>
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="AcademicDegreeRequirementType">
- <xs:sequence>
  <xs:element name="ThesisDissertationTitle" type="core:ThesisDissertationTitleType" minOccurs="0" />
  <xs:element name="ThesisDissertationAdvisor" type="core:ThesisDissertationAdvisorType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- EnrollmentStatusCode Types -->
- <xs:complexType name="AttendanceType">
- <xs:sequence>
  <xs:element name="AttendanceStatusCode" type="core:AttendanceStatusCodeType" minOccurs="0" />
  <xs:element name="AttendanceStatusCodeBeginDate" type="core:AttendanceStatusCodeBeginDateType"
    minOccurs="0" />

```

```

    <xs:element name="AttendanceStatusCodeEndDate" type="core:AttendanceStatusCodeEndDateType"
      minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="StudentLevelType">
  - <xs:sequence>
    <xs:element name="StudentLevelCode" type="core:StudentLevelCodeType" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Test Types -->
<!-- ===== -->
- <xs:complexType name="SubtestsType">
  - <xs:annotation>
    <xs:documentation>Subtests Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="SubtestCode" type="core:SubtestCodeType" />
    <xs:element name="SubtestName" type="core:SubtestNameType" minOccurs="0" />
    <xs:element name="TestScores" type="AdmReg:TestScoreType" maxOccurs="unbounded" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Subtests Types -->
<!-- ===== -->
- <xs:complexType name="TestScoreType">
  - <xs:annotation>
    <xs:documentation>Test Score Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="ScoreValue" type="core:ScoreValueType" />
    <xs:element name="TestScoreMethod" type="core:TestScoreMethodType" minOccurs="0" />
    <xs:element name="ScoreRevisedIndicator" type="core:ScoreRevisedIndicatorType" minOccurs="0" />
    <xs:element name="ScoreInvalidatedIndicator" type="core:ScoreInvalidatedIndicatorType" minOccurs="0" />
    <xs:element name="ScoreSelfreportedIndicator" type="core:ScoreSelfreportedIndicatorType" minOccurs="0" />
    <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>

```

```

<!-- ===== -->
<!-- StudentActivities Types -->
<!-- ===== -->
- <xs:complexType name="StudentActivitiesCodeType">
- <xs:annotation>
  <xs:documentation>Code for extracurricular activities engaged in by the student.</xs:documentation>
</xs:annotation>
- <xs:simpleContent>
- <xs:extension base="xs:string">
- <xs:attribute name="StudentActivitiesQualifier">
- <xs:simpleType>
- <xs:restriction base="xs:string">
  <xs:minLength value="3" />
  <xs:maxLength value="3" />
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:extension>
</xs:simpleContent>
</xs:complexType>
<!-- ===== -->
<!-- Immunization Types -->
<!-- ===== -->
- <xs:complexType name="ImmunizationsType">
- <xs:annotation>
  <xs:documentation>Immunizations Type</xs:documentation>
</xs:annotation>
- <xs:sequence>
  <xs:element name="ImmunizationDate" type="core:ImmunizationDateType" minOccurs="0" />
- <xs:element name="ImmunizationName" type="core:ImmunizationNameType" minOccurs="0">
- <xs:annotation>
  <xs:documentation>** Min/Max of 20/20 does not appear to be correct.</xs:documentation>
</xs:annotation>
</xs:element>
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Immigration Types -->
<!-- ===== -->
- <xs:complexType name="SponsorType">

```

```

- <xs:sequence>
- <xs:element name="SponsorEntity" type="AdmReg:EntityType" minOccurs="0">
  - <xs:annotation>
    <xs:documentation>** Used EntityType aggregate.</xs:documentation>
  </xs:annotation>
</xs:element>
- <xs:element name="SponsorPerson" type="AdmReg:PersonType" minOccurs="0">
  - <xs:annotation>
    <xs:documentation>** Used PersonType aggregate.</xs:documentation>
  </xs:annotation>
</xs:element>
  <xs:element name="SponsorType" type="core:SponsorTypeType" minOccurs="0" />
  <xs:element name="Note" type="AdmReg:NoteType" minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
<!-- ===== -->
<!-- Note Types -->
<!-- ===== -->
- <xs:complexType name="NoteType">
- <xs:annotation>
  <xs:documentation>Note Type - use mututally defined</xs:documentation>
</xs:annotation>
- <xs:sequence>
  <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" />
  <xs:element name="NoteSource" type="core:NoteSourceType" minOccurs="0" />
</xs:sequence>
</xs:complexType>
<!-- -->
</xs:schema>

```