

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
-<!--
  edited with XMLSpy v2006 U (http://www.altova.com) by Bruce Marton (AACRAO SPEEDE)
-->
- <!--
  edited with XMLSPY v5 rel. 4 U (http://www.xmlspy.com) by Bruce Robert Marton (The University of Texas at Austin)
-->
- <!--
  edited with XML Spy v4.4 U (http://www.xmlspy.com) by Bruce Robert Marton (The University of Texas at Austin)
-->
<!--=====
<!--AdditionalStudentAchievements Types-->
- <xs:schema targetNamespace="urn:org:pescc:sector:AcademicRecord:v1.1.0" elementFormDefault="unqualified" attributeFormDefault="unqualified" version="v1.1.0">
  <xs:import namespace="urn:org:pescc:core:CoreMain:v1.2.0" schemaLocation="CoreMain_v1.2.0.xsd"/>
  - <!--
    =====
    -->
  - <!--
    Name:      AdmissionsRegistrar.xsd (from PESCCBaseDataDictionary.xsd 1.3.9 )
    -->
    <!--Version:  1.1.0-->
    <!--Date:      15-May-2003-->
    <!-->
    <!--ChangeCode Log:-->
  - <!--
    1.0.0  24-July-2002  Mike Rawlins - Initial version based on splitting PESCCBaseDataDictionary into core and sector
    -->
  - <!--
    0002  23-May-2003  Mike Rawlins - Major changes and updates
    -->
  - <!--
    0004  05-Feb-2004  Bruce Marton - Updates from AACRAO SPEEDE review.
    -->
  - <!--
    0005  16-Mar-2004  Bruce Marton - Updates from PESCC Change Control review.
    -->
  - <!--
    0006  16-Apr-2004  Bruce Marton - Final Review and quality check
    -->
  - <!--
    0099  26-May-2004  Bruce Marton - AACRAO SPEEDE review complete
    -->
  - <!--
    v1.0.0  22-June-2004  Jeffrey Funck - Various changes as per PESCC Control discussions
    -->
  - <!--
    v1.0.x  23-May-2005  Bruce Marton - Draft changes proposed by PESCC High School Transcript workgroup.
    -->
  - <!--
    v1.0.x  24-May-2005  Bruce Marton -Minor corrections.
    -->
  - <!--
    v1.0.x  15-September-2005  Bruce Marton - Additional draft changes proposed by PESCC High School Transcript workgroup.
    -->
  - <!--
    v1.0.x  19-September-2005  Bruce Marton - Minor corrections.
    -->
  - <!--
    v1.0.1  07-December-2005  Bruce Marton - Final draft changes proposed by PESCC High School Transcript workgroup.
    -->
  - <!--
    v1.1.0  15-February-2006  Bruce Marton - Final proposed changes for PESCC High School Transcript as approved for public comment by PESCC Change Cont
    -->
  - <!--
    =====
    -->
  <!-->
  <!--CoreComponent Types-->
  <!--=====
- <xs:complexType name="PersonType">
  - <xs:sequence>
    <xs:element name="SchoolAssignedPersonID" type="core:SchoolAssignedPersonIDType" minOccurs="0"/>
    <xs:element name="SIN" type="core:SINIDType" minOccurs="0"/>
    <xs:element name="NSN" type="core:NSNIDType" minOccurs="0"/>
    <xs:element name="AgencyAssignedID" type="core:AgencyAssignedIDType" minOccurs="0"/>
    <xs:element name="RecipientAssignedID" type="core:RecipientAssignedIDType" minOccurs="0"/>
    <xs:element name="SSN" type="core:SSNType" minOccurs="0"/>
    <xs:element name="Birth" type="core:BirthType" minOccurs="0"/>
    <xs:element name="Name" type="core:NameType"/>
    <xs:element name="AlternateName" type="core:NameType" minOccurs="0" maxOccurs="unbounded"/>
  - <xs:element name="HighSchool" type="AcRec:HighSchoolType" minOccurs="0">
    - <xs:annotation>
      - <xs:documentation>
        This is the secondary school (high school) from which the person graduated or the last high school the party attended.
      </xs:documentation>
    </xs:annotation>
  </xs:element>
</xs:complexType>
```

```

<xs:element name="Contacts" type="AcRec:ContactsType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Gender" type="core:GenderType" minOccurs="0"/>
<xs:element name="Residency" type="AcRec:ResidencyType" minOccurs="0"/>
<xs:element name="Deceased" type="core:DeceasedType" minOccurs="0"/>
<xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
- <xs:complexType name="K12PersonType">
  - <xs:sequence>
    <xs:element name="SchoolAssignedPersonID" type="core:SchoolAssignedPersonIDType" minOccurs="0"/>
    <xs:element name="SIN" type="core:SINIDType" minOccurs="0"/>
    <xs:element name="NSN" type="core:NSNIDType" minOccurs="0"/>
    <xs:element name="AgencyAssignedID" type="core:AgencyAssignedIDType" minOccurs="0"/>
    <xs:element name="RecipientAssignedID" type="core:RecipientAssignedIDType" minOccurs="0"/>
    <xs:element name="SSN" type="core:SSNType" minOccurs="0"/>
    <xs:element name="Birth" type="AcRec:BirthType" minOccurs="0"/>
    <xs:element name="Name" type="core:NameType"/>
    - <xs:element name="AlternateName" type="core:NameType" minOccurs="0" maxOccurs="unbounded">
      - <xs:annotation>
        <xs:documentation>May not be needed</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="ParentGuardianName" type="core:NameType" minOccurs="0"/>
    <xs:element name="Contacts" type="AcRec:ContactsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Gender" type="core:GenderType" minOccurs="0"/>
    <xs:element name="RaceEthnicity" type="core:RaceEthnicityType" minOccurs="0"/>
    <xs:element name="Deceased" type="core:DeceasedType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="OrganizationType">
  - <xs:sequence>
    <xs:group ref="core:OrganizationIDGroup"/>
    <xs:element name="LocalOrganizationID" type="core:LocalOrganizationIDType" minOccurs="0"/>
    - <xs:element name="OrganizationName" minOccurs="0" maxOccurs="unbounded">
      - <xs:simpleType>
        - <xs:restriction base="core:OrganizationNameType">
          <xs:maxLength value="60"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Contacts" type="AcRec:ContactsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="StudentType">
  - <xs:annotation>
    <xs:documentation>Student Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="Person" type="AcRec:PersonType"/>
    <xs:element name="AcademicRecord" type="AcRec:AcademicRecordType" maxOccurs="unbounded"/>
    <xs:element name="Health" type="core:HealthType" minOccurs="0"/>
    <xs:element name="Tests" type="core:TestsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UserDefinedExtensions" type="core:UserDefinedExtensionsType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="K12StudentType">
  - <xs:annotation>
    <xs:documentation>Student Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="Person" type="AcRec:K12PersonType"/>
    <xs:element name="AcademicRecord" type="AcRec:AcademicRecordType" maxOccurs="unbounded"/>
    <xs:element name="Health" type="core:HealthType" minOccurs="0"/>
    <xs:element name="Tests" type="core:TestsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UserDefinedExtensions" type="core:UserDefinedExtensionsType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="TransmissionDataType">
  - <xs:sequence>
    <xs:element name="DocumentID" type="core:DocumentIDType"/>
    <xs:element name="CreatedDateTime" type="core:CreatedDateTimeType"/>
    <xs:element name="DocumentTypeCode" type="core:DocumentTypeCodeType"/>
    <xs:element name="TransmissionType" type="core:TransmissionTypeType"/>
    <xs:element name="Source" type="AcRec:SourceDestinationType"/>
    <xs:element name="Destination" type="AcRec:SourceDestinationType"/>
    <xs:element name="DocumentProcessCode" type="core:DocumentProcessCodeType" minOccurs="0"/>
    <xs:element name="DocumentOfficialCode" type="core:DocumentOfficialCodeType" minOccurs="0"/>
    <xs:element name="DocumentCompleteCode" type="core:DocumentCompleteCodeType" minOccurs="0"/>
    <xs:element name="RequestTrackingID" type="core:RequestTrackingIDType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>

```

```

- <xs:complexType name="SourceDestinationType">
  - <xs:annotation>
    <xs:documentation>Type for Source and Destination</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="Organization" type="AcRec:OrganizationType"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
<!------->
<!--AcademicRecord Types-->
<!------->
- <xs:complexType name="AcademicRecordType">
  - <xs:sequence>
    <xs:element name="School" type="AcRec:SchoolType" minOccurs="0"/>
    <xs:element name="StudentLevel" type="core:StudentLevelType" minOccurs="0"/>
    <xs:element name="AcademicAward" type="AcRec:AcademicAwardType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicSummary" type="AcRec:AcademicSummaryFType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicSession" type="AcRec:AcademicSessionType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Course" type="AcRec:CourseType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AdditionalStudentAchievements" type="core:AdditionalStudentAchievementsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UserDefinedExtensions" type="core:UserDefinedExtensionsType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="AcademicSessionType">
  - <xs:sequence>
    <xs:element name="AcademicSessionDetail" type="core:AcademicSessionDetailType"/>
    <xs:element name="School" type="AcRec:SchoolType" minOccurs="0"/>
    <xs:element name="StudentLevel" type="core:StudentLevelType" minOccurs="0"/>
    <xs:element name="AcademicProgram" type="AcRec:AcademicProgramType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicAward" type="AcRec:AcademicAwardType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Course" type="AcRec:CourseType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicSummary" type="AcRec:AcademicSummaryFType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="AcademicSummaryBaseType">
  - <xs:annotation>
    <xs:documentation>Base type, only used as extension base</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="AcademicSummaryType" type="core:AcademicSummaryTypeType" minOccurs="0"/>
    <xs:element name="AcademicSummaryLevel" type="core:CourseCreditLevelType" minOccurs="0"/>
    <xs:element name="GPA" type="core:GPAType" minOccurs="0"/>
    <xs:element name="AcademicHonors" type="core:AcademicHonorsType" minOccurs="0"/>
    <xs:element name="ClassRank" type="core:ClassRankType" minOccurs="0"/>
    <xs:element name="ClassSize" type="core:ClassSizeType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="AcademicSummaryE1Type">
  - <xs:annotation>
    <xs:documentation>Used in AcademicRecordType and AcademicAwardType</xs:documentation>
  </xs:annotation>
  - <xs:complexContent>
    - <xs:extension base="AcRec:AcademicSummaryBaseType">
      - <xs:sequence>
        <xs:element name="AcademicProgram" type="core:AcademicProgramType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
- <xs:complexType name="AcademicSummaryE2Type">
  - <xs:annotation>
    <xs:documentation>Used in AcademicProgramType</xs:documentation>
  </xs:annotation>
  - <xs:complexContent>
    - <xs:extension base="AcRec:AcademicSummaryBaseType">
      - <xs:sequence>
        <xs:element name="Delinquencies" type="core:DelinquenciesType" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="ExitDate" type="core:ExitDateType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
- <xs:complexType name="AcademicSummaryFType">
  - <xs:annotation>
    <xs:documentation>
      Full type, used in AcademicSessionType and TransferCreditType
    </xs:documentation>
  </xs:annotation>
  - <xs:complexContent>
    - <xs:extension base="AcRec:AcademicSummaryBaseType">
      - <xs:sequence>
        <xs:element name="AcademicProgram" type="core:AcademicProgramType" minOccurs="0"/>

```

```

        <xs:element name="Delinquencies" type="core:DelinquenciesType" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="ExitDate" type="core:ExitDateType" minOccurs="0"/>
    </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="AcademicAwardType">
- <xs:sequence>
    <xs:element name="AcademicAwardLevel" type="core:AcademicAwardLevelType" minOccurs="0"/>
    <xs:element name="AcademicAwardDate" type="core:AcademicAwardDateType" minOccurs="0"/>
    <xs:element name="AcademicAwardTitle" type="core:AcademicAwardTitleType" minOccurs="0"/>
    <xs:element name="AcademicHonors" type="core:AcademicHonorsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicCompletionIndicator" type="core:AcademicCompletionIndicatorType" minOccurs="0"/>
    <xs:element name="AcademicCompletionDate" type="core:AcademicCompletionDateType" minOccurs="0"/>
    <xs:element name="AcademicAwardProgram" type="AcRec:AcademicProgramType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicDegreeRequirement" type="core:AcademicDegreeRequirementType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="AcademicSummary" type="AcRec:AcademicSummaryE1Type" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
- <xs:complexType name="EnrollmentStatusCodeType">
- <xs:sequence>
    <xs:element name="StudentLevel" type="core:StudentLevelType" minOccurs="0"/>
    <xs:element name="Attendance" type="core:AttendanceType" minOccurs="0"/>
    <xs:element name="DegreeSeekingStatusCode" type="core:DegreeSeekingStatusCodeType" minOccurs="0"/>
    - <xs:element name="ProgramLevel" type="core:ProgramLevelType" minOccurs="0">
        - <xs:annotation>
            <xs:documentation>** Min defined but no Max.</xs:documentation>
        </xs:annotation>
    </xs:element>
    - <xs:element name="AcademicProgram" type="AcRec:AcademicProgramType" minOccurs="0">
        - <xs:annotation>
            - <xs:documentation>
                ** Program defined as aggregate but no aggregate on spreadsheet.
            </xs:documentation>
        </xs:annotation>
    </xs:element>
    <xs:element name="EnrollDate" type="core:EnrollDateType" minOccurs="0"/>
    <xs:element name="ExitDate" type="core:ExitDateType" minOccurs="0"/>
    <xs:element name="EligibilityEndDate" type="core:EligibilityEndDateType" minOccurs="0"/>
    <xs:element name="AnticipatedGraduationDate" type="core:AnticipatedGraduationDateType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
<!------->
<!--AdmissionApplication Types-->
<!------->
- <xs:complexType name="AdmissionDecisionType">
- <xs:annotation>
    <xs:documentation>Admission Decision Type</xs:documentation>
</xs:annotation>
- <xs:sequence>
    <xs:element name="AcademicSession" type="AcRec:AcademicSessionType" minOccurs="0"/>
    <xs:element name="AdmissionStatusCode" type="core:AdmissionStatusCodeType" minOccurs="0"/>
    <xs:element name="AdmissionStatusDate" type="core:AdmissionStatusDateType" minOccurs="0"/>
    <xs:element name="AdmissionTypeType" type="core:AdmissionTypeType" minOccurs="0"/>
    <xs:element name="CohortYear" type="core:CohortYearType" minOccurs="0"/>
    <xs:element name="StudentLevel" type="core:StudentLevelType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
- <xs:complexType name="TransferCreditType">
- <xs:annotation>
    <xs:documentation>Transfer Credit Type</xs:documentation>
</xs:annotation>
- <xs:sequence>
    <xs:element name="TransferCoursesAccepted" type="AcRec:CourseType" minOccurs="0"/>
    - <xs:element name="TransferCreditHoursAccepted" type="core:TransferCreditHoursAcceptedType" minOccurs="0">
        - <xs:annotation>
            - <xs:documentation>
                ** Defined as datatype Number with Min/Max of 1/3. Also defined as pattern F5.2. This is inconsistent.
            </xs:documentation>
        </xs:annotation>
    </xs:element>
    - <xs:element name="TransferCreditHoursAppliedtoDegree" type="AcRec:TransferCreditType" minOccurs="0">
        - <xs:annotation>
            - <xs:documentation>
                ** Defined as datatype Number with Min/Max of 1/3. Also defined as pattern F5.2. This is inconsistent.
            </xs:documentation>
        </xs:annotation>
    </xs:element>
    <xs:element name="TransferStudentLevel" type="core:StudentLevelType" minOccurs="0"/>
    <xs:element name="TransferStudentHonors" type="core:AcademicHonorsType" minOccurs="0"/>
    <xs:element name="TransferStudentSummary" type="AcRec:AcademicSummaryFType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>

```

```

</xs:complexType>
<!--Employment Types-->
<!--Employment Types-->
- <xs:complexType name="EmploymentType">
  - <xs:sequence>
    <xs:element name="Employer" type="AcRec:OrganizationType" minOccurs="0"/>
    <xs:element name="EmploymentBeginDate" type="core:EmploymentBeginDateType" minOccurs="0"/>
    <xs:element name="EmploymentEndDate" type="core:EmploymentEndDateType" minOccurs="0"/>
    <xs:element name="PositionTitle" type="core:PositionTitleType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
<!--Entity Types-->
<!--Entity Types-->
- <xs:complexType name="ContactsType">
  - <xs:sequence>
    <xs:element name="Address" type="AcRec:AddressType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Phone" type="AcRec:PhoneType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Email" type="AcRec:EmailType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="URL" type="core:URLType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ContactsRType">
  - <xs:annotation>
    - <xs:documentation>
      Reduced, minimal version of ContactsType for use in PersonType
    </xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    <xs:element name="Address" type="AcRec:AddressType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
<!--Person Types -->
<!--Person Types -->
- <xs:complexType name="BirthType">
  - <xs:sequence>
    <xs:element name="BirthDate" type="core:BirthDateType" minOccurs="0"/>
    <xs:element name="Birthday" type="core:BirthdayType" minOccurs="0"/>
    <xs:element name="BirthCity" type="core:CityType" minOccurs="0"/>
    <xs:element name="BirthState" type="core:StateProvinceCodeType" minOccurs="0"/>
    <xs:element name="BirthCountry" type="core:CountryCodeType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="CitizenshipType">
  - <xs:complexContent>
    - <xs:extension base="core:CitizenshipType">
      - <xs:sequence>
        <xs:element name="CitizenshipCountryCode" type="core:CitizenshipCountryCodeType" minOccurs="0"/>
        <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
- <xs:complexType name="ImmigrationType">
  - <xs:sequence>
    <xs:element name="AlienRegistrationNumber" type="core:AlienRegistrationNumberType" minOccurs="0"/>
    <xs:element name="FirstEntryIntoUSDate" type="core:FirstEntryIntoUSDateType" minOccurs="0"/>
    <xs:element name="ImmigrationI20RequestIndicator" type="core:ImmigrationI20RequestIndicatorType" minOccurs="0"/>
    <xs:element name="NonImmigrantVisaIssueDate" type="core:NonImmigrantVisaIssueDateType" minOccurs="0"/>
    <xs:element name="NonImmigrantVisaNumber" type="core:NonImmigrantVisaNumberType" minOccurs="0"/>
    <xs:element name="NonImmigrantVisaStatusChangeCode" type="core:NonImmigrantVisaStatusChangeCodeType" minOccurs="0"/>
    <xs:element name="NonImmigrantVisaStatusChangeDate" type="core:NonImmigrantVisaStatusChangeDateType" minOccurs="0"/>
    <xs:element name="NonImmigrantVisaType" type="core:NonImmigrantVisaType" minOccurs="0"/>
    <xs:element name="RequiredFormsReceiveDate" type="core:RequiredFormsReceiveDateType" minOccurs="0"/>
    <xs:element name="Sponsor" type="AcRec:SponsorType" minOccurs="0"/>
    <xs:element name="USStudyFormsReceipt" type="core:USStudyFormsReceiptType" minOccurs="0"/>
    <xs:element name="VisaExpirationDate" type="core:VisaExpirationDateType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="HighSchoolType">
  - <xs:sequence>
    <xs:element name="OrganizationName" type="core:OrganizationNameType"/>
    <xs:group ref="core:OrganizationIDGroup" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ResidencyType">
  - <xs:complexContent>
    - <xs:extension base="core:ResidencyType">
      - <xs:sequence>
        <xs:element name="StateProvince" type="core:StateProvinceType" minOccurs="0"/>
        <xs:element name="CountyCode" type="core:CountyCodeType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

```

    <xs:element name="County" type="core:CountyType" minOccurs="0"/>
    <xs:element name="CountryCode" type="core:CountryCodeType" minOccurs="0"/>
    <xs:element name="Country" type="core:CountryType" minOccurs="0"/>
    <xs:element name="ResidencyStatusCode" type="core:ResidencyStatusCodeType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
<!--Student Types-->
<!--Student Types-->
- <xs:complexType name="FamilyType">
  - <xs:annotation>
    <xs:documentation>Family Type</xs:documentation>
  </xs:annotation>
  - <xs:sequence>
    - <xs:element name="Father" type="AcRec:PersonType" minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Min/Max of 2/2 defined for an aggregate.</xs:documentation>
      </xs:annotation>
    </xs:element>
    - <xs:element name="Mother" type="AcRec:PersonType" minOccurs="0">
      - <xs:annotation>
        <xs:documentation>** Min/Max of 2/2 defined for an aggregate.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="ParentsMaritalStatusCode" type="core:ParentsMaritalStatusCodeType" minOccurs="0"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
<!--Contacts Types-->
<!--Contacts Types-->
- <xs:complexType name="AddressType">
  - <xs:complexContent>
    - <xs:extension base="core:AddressType">
      - <xs:sequence>
        <xs:element name="AttentionLine" type="core:AttentionLineType" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
- <xs:complexType name="EmailType">
  - <xs:complexContent>
    - <xs:extension base="core:EmailType">
      - <xs:sequence>
        <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
- <xs:complexType name="PhoneType">
  - <xs:complexContent>
    - <xs:extension base="core:PhoneType">
      - <xs:sequence>
        <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<!--AcademicSession Types-->
<!--AcademicSession Types-->
- <xs:complexType name="SchoolType">
  - <xs:sequence>
    <xs:element name="OrganizationName" type="core:OrganizationNameType"/>
    <xs:group ref="core:OrganizationIDGroup" minOccurs="0"/>
    <xs:element name="LocalOrganizationID" type="core:LocalOrganizationIDType" minOccurs="0"/>
    <xs:element name="SchoolOverrideCode" type="core:SchoolOverrideCodeType" minOccurs="0"/>
    <xs:element name="SchoolLevel" type="core:SchoolLevelType" minOccurs="0"/>
    <xs:element name="Contacts" type="AcRec:ContactsType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="CourseType">
  - <xs:sequence>
    <xs:element name="CourseCreditBasis" type="core:CourseCreditBasisType"/>
    <xs:element name="CourseCreditUnits" type="core:CourseCreditUnitsType" minOccurs="0"/>
    <xs:element name="CourseCreditLevel" type="core:CourseCreditLevelType" minOccurs="0"/>
    <xs:element name="CourseCreditValue" type="core:CourseCreditValueType" minOccurs="0"/>
    <xs:element name="CourseCreditEarned" type="core:CourseCreditEarnedType" minOccurs="0"/>
    <xs:element name="CourseAcademicGradeScaleCode" type="core:CourseAcademicGradeScaleCodeType" minOccurs="0"/>
    <xs:element name="CourseAcademicGrade" type="core:CourseAcademicGradeType" minOccurs="0"/>
    <xs:element name="CourseAcademicGradeStatusCode" type="core:CourseAcademicGradeStatusCodeType" minOccurs="0"/>
    <xs:element name="CourseNarrativeExplanationGrade" type="core:CourseNarrativeExplanationGradeType" minOccurs="0"/>
    <xs:element name="CourseRepeatCode" type="core:CourseRepeatCodeType" minOccurs="0"/>
  </xs:sequence>

```

```

- <xs:choice>
  <xs:element name="CourseCIPCode" type="core:CourseCIPCodeType" minOccurs="0"/>
  <xs:element name="CourseCSISCode" type="core:CourseCSISCodeType" minOccurs="0"/>
  <xs:element name="CourseUSISCode" type="core:CourseUSISCodeType" minOccurs="0"/>
  <xs:element name="CourseNCESCode" type="core:CourseNCESCodeType" minOccurs="0"/>
  <xs:element name="CourseSCEDCode" type="core:CourseSCEDCodeType" minOccurs="0"/>
</xs:choice>
<xs:element name="CourseQualityPointsEarned" type="core:CourseQualityPointsEarnedType" minOccurs="0"/>
<xs:element name="CourseLevel" type="core:CourseLevelType" minOccurs="0"/>
<xs:element name="CourseGPAApplicabilityCode" type="core:CourseGPAApplicabilityCodeType" minOccurs="0"/>
<xs:element name="CourseSubjectAbbreviation" type="core:CourseSubjectAbbreviationType" minOccurs="0"/>
<xs:element name="CourseNumber" type="core:CourseNumberType" minOccurs="0"/>
<xs:element name="CourseSectionNumber" type="core:CourseSectionNumberType" minOccurs="0"/>
<xs:element name="OriginalCourseID" type="core:OriginalCourseIDType" minOccurs="0"/>
<xs:element name="AgencyCourseID" type="core:AgencyCourseIDType" minOccurs="0"/>
<xs:element name="CourseTitle" type="core:CourseTitleType" minOccurs="0"/>
<xs:element name="CourseAddDate" type="core:CourseAddDateType" minOccurs="0"/>
<xs:element name="CourseDropDate" type="core:CourseDropDateType" minOccurs="0"/>
<xs:element name="CourseOverrideSchool" type="AcRec:SchoolType" minOccurs="0"/>
<xs:element name="OverrideSchoolCourseNumber" type="core:OverrideSchoolCourseNumberType" minOccurs="0"/>
<xs:element name="CourseApplicability" type="core:CourseApplicabilityType" minOccurs="0"/>
<xs:element name="CourseBeginDate" type="core:CourseBeginDateType" minOccurs="0"/>
<xs:element name="CourseEndDate" type="core:CourseEndDateType" minOccurs="0"/>
<xs:element name="CourseInstructionSite" type="core:CourseInstructionSiteType" minOccurs="0"/>
<xs:element name="CourseInstructionSiteName" type="core:CourseInstructionSiteNameType" minOccurs="0"/>
<xs:element name="Requirement" type="core:RAPType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Attribute" type="core:RAPType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Proficiency" type="core:RAPType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Licensure" type="core:LicensureType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="LanguageOfInstruction" type="core:LanguageOfInstructionType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="UserDefinedExtensions" type="core:UserDefinedExtensionsType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<!------->
<!--AcademicAward Types-->
<!------->
- <xs:complexType name="AcademicProgramType">
- <xs:complexContent>
- <xs:extension base="core:AcademicProgramType">
- <xs:sequence>
  <xs:element name="ProgramSummary" type="AcRec:AcademicSummaryE2Type" minOccurs="0"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
<!------->
<!--Immigration Types-->
<!------->
- <xs:complexType name="SponsorType">
- <xs:sequence>
- <xs:element name="SponsorOrganization" type="AcRec:OrganizationType" minOccurs="0">
- <xs:annotation>
  <xs:documentation>** Used OrganizationType aggregate.</xs:documentation>
</xs:annotation>
</xs:element>
- <xs:element name="SponsorPerson" type="AcRec:PersonType" minOccurs="0">
- <xs:annotation>
  <xs:documentation>** Used PersonType aggregate.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="SponsorType" type="core:SponsorTypeType" minOccurs="0"/>
<xs:element name="NoteMessage" type="core:NoteMessageType" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
</xs:complexType>
</xs:schema>

```