

CommonRecord40a.xsd

```
<?xml version="1.0" encoding="utf-8"?>
<!-- edited with XMLSPY v5 rel. 3 U (http://www.xmlspy.com) by Max Venker (Accenture) -->
<xsd:schema targetNamespace="http://www.ed.gov/FSA/COD/2014/v4.0a" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:cod="http://www.ed.gov/FSA/COD/2014/v4.0a" elementFormDefault="qualified">
  <xsd:include schemaLocation="CommonRecord4.0a-VR.xsd"/>
  <xsd:element name="CommonRecord" type="cod:CommonRecordType">
    <xsd:annotation>
      <xsd:documentation>Root Node for Department of Education Common Record</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:complexType name="CommonRecordType">
    <xsd:sequence>
      <xsd:element name="TransmissionData">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="DocumentID">
              <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                  <xsd:maxLength value="30"/>
                </xsd:restriction>
              </xsd:simpleType>
            </xsd:element>
            <xsd:element name="CreatedDateTime" type="xsd:dateTime"/>
            <xsd:element name="Source" type="cod:SourceType"/>
            <xsd:element name="Destination" type="cod:DestinationType"/>
            <xsd:element name="Software" minOccurs="0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="SoftwareProvider" minOccurs="0">
                    <xsd:simpleType>
                      <xsd:restriction base="xsd:string">
                        <xsd:maxLength value="10"/>
                      </xsd:restriction>
                    </xsd:simpleType>
                  </xsd:element>
                  <xsd:element name="SoftwareVersion" minOccurs="0">
                    <xsd:simpleType>
                      <xsd:restriction base="xsd:string">
                        <xsd:maxLength value="6"/>
                      </xsd:restriction>
                    </xsd:simpleType>
                  </xsd:element>
                </xsd:sequence>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:schema>
```

CommonRecord40a.xsd

```

        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="FullResponseCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="S"/>
      <xsd:enumeration value="F"/>
      <xsd:enumeration value="M"/>
      <xsd:enumeration value="N"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ReportingSchool" type="cod:ReportingSchoolType" minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="Receipt" type="xsd:dateTime" minOccurs="0"/>
<xsd:element name="Response" type="cod:CommonRecordResponseType" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="CommonRecordResponseType">
  <xsd:sequence>
    <xsd:element name="DocumentTypeCode" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:minLength value="2"/>
          <xsd:maxLength value="2"/>
          <xsd:enumeration value="BN"/>
          <xsd:enumeration value="PS"/>
          <xsd:enumeration value="PN"/>
          <xsd:enumeration value="ND"/>
          <xsd:enumeration value="RC"/>
          <xsd:enumeration value="RS"/>
          <xsd:enumeration value="SG"/>
          <xsd:enumeration value="WB"/>
          <xsd:enumeration value="CO"/>
          <xsd:enumeration value="AT"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>

```

```

CommonRecord40a.xsd
    <xsd:enumeration value="AC"/>
    <xsd:enumeration value="SP"/>
    <xsd:enumeration value="EC"/>
    <xsd:enumeration value="SU"/>
    <xsd:enumeration value="PC"/>
    <xsd:enumeration value="OF"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="DocumentStatusCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="1"/>
      <xsd:enumeration value="A"/>
      <xsd:enumeration value="R"/>
      <xsd:enumeration value="D"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="ProcessDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="EditProcessResult" type="cod:EditProcessResultType" minOccurs="0" maxOccurs="100"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="EntityRefType">
  <xsd:sequence>
    <xsd:element name="RoutingID">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:minLength value="1"/>
          <xsd:maxLength value="8"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="AttendedSchoolType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:EntityRefType">
      <xsd:sequence>
        <xsd:element name="Student" type="cod:StudentType" minOccurs="0" maxOccurs="unbounded">
          <xsd:key name="LIK">

```

```

CommonRecord40a.xsd
  <xsd:selector xpath="LoanInformation"/>
  <xsd:field xpath="@AwardKey"/>
</xsd:key>
<xsd:keyref name="LIKRef" refer="cod:LIK">
  <xsd:selector xpath="FinancialAward"/>
  <xsd:field xpath="AwardKey"/>
</xsd:keyref>
</xsd:element>
  <xsd:element name="Response" type="cod:ResponseType" minOccurs="0"/>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="ReportingSchoolType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:EntityRefType">
      <xsd:sequence>
        <xsd:element name="ReportedFinancialSummary" type="cod:ReportedFinancialSummaryType" minOccurs="0"
maxOccurs="120"/>
        <xsd:element name="AttendedSchool" type="cod:AttendedSchoolType" minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element name="Response" type="cod:ReportingSchoolResponseType" minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="ReportedFinancialSummaryType">
  <xsd:sequence>
    <xsd:element name="FinancialAwardType" type="cod:FinancialAwards"/>
    <xsd:element name="FinancialAwardYear" type="xsd:gYear"/>
    <xsd:element name="TotalCount" type="cod:TotalCountType"/>
    <xsd:element name="TotalReportedAward" type="cod:LargeCurrencyType" minOccurs="0"/>
    <xsd:element name="TotalReportedDisbursement" type="cod:LargeCurrencyType" minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="DestinationType">
  <xsd:choice>
    <xsd:element name="School" type="cod:EntityRefType"/>
    <xsd:element name="ThirdPartyServicer" type="cod:EntityRefType"/>
    <xsd:element name="Guarantor" type="cod:EntityRefType"/>
    <xsd:element name="Lender" type="cod:EntityRefType"/>
    <xsd:element name="Other" type="cod:EntityRefType"/>
    <xsd:element name="COD" type="cod:EntityRefType"/>
  </xsd:choice>

```

CommonRecord40a.xsd

```
</xsd:choice>
</xsd:complexType>
<xsd:complexType name="SourceType">
  <xsd:choice>
    <xsd:element name="School" type="cod:EntityRefType"/>
    <xsd:element name="ThirdPartyServicer" type="cod:EntityRefType"/>
    <xsd:element name="Guarantor" type="cod:EntityRefType"/>
    <xsd:element name="Lender" type="cod:EntityRefType"/>
    <xsd:element name="Other" type="cod:EntityRefType"/>
    <xsd:element name="COD" type="cod:EntityRefType"/>
  </xsd:choice>
</xsd:complexType>
<xsd:complexType name="PersonType">
  <xsd:sequence>
    <xsd:element name="Index">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="SSN">
            <xsd:complexType>
              <xsd:simpleContent>
                <xsd:extension base="cod:SSNType"/>
              </xsd:simpleContent>
            </xsd:complexType>
          </xsd:element>
          <xsd:element name="BirthDate" type="xsd:date"/>
          <xsd:element name="LastName" minOccurs="0">
            <xsd:simpleType>
              <xsd:restriction base="xsd:string">
                <xsd:minLength value="0"/>
                <xsd:maxLength value="35"/>
              </xsd:restriction>
            </xsd:simpleType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="PersonIdentifiers" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="SSN" minOccurs="0">
            <xsd:complexType>
              <xsd:simpleContent>
```

```

CommonRecord40a.xsd
    <xsd:extension base="cod:SSNType"/>
    </xsd:simpleContent>
  </xsd:complexType>
</xsd:element>
<xsd:element name="DriversLicense" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="DriversLicenseState"

type="cod:StateProvinceCodeType"/>

      <xsd:element name="DriversLicenseNumber">
        <xsd:simpleType>
          <xsd:restriction base="xsd:string">
            <xsd:maxLength value="20"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="SchoolAssignedPersonID" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="20"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Birth" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="BirthDate" type="xsd:date" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Name" type="cod:NameType" minOccurs="0"/>
<xsd:element name="Contacts" type="cod:ContactsType" minOccurs="0"/>
<xsd:element name="Citizenship" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="CitizenshipStatusCode" nillable="true" minOccurs="0">

```

```

CommonRecord40a.xsd
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="1"/>
      <xsd:enumeration value="2"/>
      <xsd:enumeration value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Note" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="cod:SchoolNoteMessage" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="BorrowerType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:PersonType">
      <xsd:sequence>
        <xsd:element name="DefaultOverpayCode" type="cod:DefaultOverpayCodeType" minOccurs="0"/>
        <xsd:element name="Response" type="cod:ResponseType" minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="StudentType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:PersonType">
      <xsd:sequence>
        <xsd:element ref="cod:LoanInformation" minOccurs="0" maxOccurs="60"/>
        <xsd:element ref="cod:FinancialAward" minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element ref="cod:Counseling" minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element name="Response" type="cod:StudentResponseType" minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>

```

CommonRecord40a.xsd

```

</xsd:complexType>
<xsd:complexType name="EndorserType" mixed="false">
  <xsd:sequence>
    <xsd:element name="Index">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="SSN">
            <xsd:complexType>
              <xsd:simpleContent>
                <xsd:extension base="cod:SSNType"/>
              </xsd:simpleContent>
            </xsd:complexType>
          </xsd:element>
          <xsd:element name="BirthDate" type="xsd:date"/>
          <xsd:element name="LastName" minOccurs="0">
            <xsd:simpleType>
              <xsd:restriction base="xsd:string">
                <xsd:minLength value="0"/>
                <xsd:maxLength value="35"/>
              </xsd:restriction>
            </xsd:simpleType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="Name" type="cod:EndorserNameType" minOccurs="0"/>
    <xsd:element name="DriversLicense" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="DriversLicenseState" type="cod:StateProvinceCodeType" minOccurs="0"/>
          <xsd:element name="DriversLicenseNumber" minOccurs="0">
            <xsd:simpleType>
              <xsd:restriction base="xsd:string">
                <xsd:maxLength value="20"/>
              </xsd:restriction>
            </xsd:simpleType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="Contacts" type="cod:ContactsType" minOccurs="0"/>
    <xsd:element name="Citizenship" minOccurs="0">

```


CommonRecord40a.xsd

```

<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="CitizenshipStatusCode" nillable="true" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:length value="1"/>
          <xsd:enumeration value="1"/>
          <xsd:enumeration value="2"/>
          <xsd:enumeration value="3"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:element name="LoanInformation" type="cod:LoanInformationType" abstract="true"/>
<xsd:element name="DLLoanInformation" type="cod:DLLoanInformationType" substitutionGroup="cod:LoanInformation"/>
<xsd:complexType name="LoanInformationType">
  <xsd:sequence>
    <xsd:element name="OriginationFeePercent" nillable="true" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:decimal">
          <xsd:minInclusive value="0"/>
          <xsd:maxInclusive value="100"/>
          <xsd:totalDigits value="6"/>
          <xsd:fractionDigits value="3"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="InterestRebatePercent" nillable="true" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:decimal">
          <xsd:minInclusive value="0"/>
          <xsd:maxInclusive value="100"/>
          <xsd:totalDigits value="6"/>
          <xsd:fractionDigits value="3"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="PromissoryNotePrintCode" nillable="true" minOccurs="0">

```

CommonRecord40a.xsd

```

<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:length value="1"/>
    <xsd:enumeration value="S"/>
    <xsd:enumeration value="R"/>
    <xsd:enumeration value="Z"/>
    <xsd:enumeration value="V"/>
    <xsd:enumeration value="O"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="DisclosureStatementPrintCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="Y"/>
      <xsd:enumeration value="R"/>
      <xsd:enumeration value="S"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element ref="cod:StudentLevelCode" minOccurs="0"/>
<xsd:element name="FinancialAwardBeginDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="FinancialAwardEndDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="AcademicYearBeginDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="AcademicYearEndDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="PublishedPgmLengthYears" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="999.999"/>
      <xsd:totalDigits value="6"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="PublishedPgmLengthMonths" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="999.999"/>
      <xsd:totalDigits value="6"/>

```

```

CommonRecord40a.xsd
    <xsd:fractionDigits value="3"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="PublishedPgmLengthWeeks" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="999.999"/>
      <xsd:totalDigits value="6"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="WeeksProgramsAcademicYear" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="999.999"/>
      <xsd:totalDigits value="6"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="SpecialPrograms" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="ProgramCredentialLevel" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="99"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
<xsd:attribute name="AwardKey" type="xsd:integer" use="required"/>
</xsd:complexType>

```

CommonRecord40a.xsd

```

<xsd:complexType name="DLLoanInformationType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:LoanInformationType">
      <xsd:sequence>
        <xsd:element name="Response" type="cod:ResponseType" minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:element name="FinancialAward" type="cod:FinancialAwardType" abstract="true">
  <xsd:annotation>
    <xsd:documentation>At this location in your document you can include one or more FinancialAwardType elements (ex: DLPLUS,
DLSubsidized, Pell, DLUnsubsidized, ACG, SMART, and Grad-PLUS) </xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="Pell" type="cod:PellType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="DLSubsidized" type="cod:DLSubsidizedType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="DLUnsubsidized" type="cod:DLUnsubsidizedType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="DLPLUS" type="cod:DLPLUSType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="Perkins" type="cod:PerkinsType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="SEOG" type="cod:SEOGType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="FWSP" type="cod:FWSPType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="AlternativeLoan" type="cod:AlternativeLoanType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="AcademicCompetitivenessGrant" type="cod:AcademicCompetitivenessGrantType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="NationalSMARTGrant" type="cod:NationalSMARTGrantType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="DLGraduatePLUS" type="cod:DLGraduatePLUSType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="TEACH" type="cod:TEACHType" substitutionGroup="cod:FinancialAward"/>
<xsd:element name="Counseling" type="cod:CounselingType"/>
<xsd:complexType name="FinancialAwardType">
  <xsd:sequence>
    <xsd:element name="AwardKey" type="xsd:integer" minOccurs="0"/>
    <xsd:element name="FinancialAwardYear" type="xsd:gYear"/>
    <xsd:element name="CPSTransactionNumber" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:integer">
          <xsd:minInclusive value="1"/>
          <xsd:maxInclusive value="99"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="FinancialAwardAmount" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
    <xsd:element name="Note" minOccurs="0">

```

CommonRecord40a.xsd

```

        <xsd:complexType>
            <xsd:sequence>
                <xsd:element ref="cod:SchoolNoteMessage" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="CampusBasedAwardType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:FinancialAwardType">
            <xsd:sequence>
                <xsd:element name="DependencyStatusCode" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:string">
                            <xsd:enumeration value="I"/>
                            <xsd:enumeration value="D"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="LessThanFullTimeIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
                <xsd:element name="FederalShareAmount" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
                <xsd:element ref="cod:StudentLevelCode" minOccurs="0"/>
                <xsd:element name="FISAPIncomeAmount" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:decimal">
                            <xsd:minInclusive value="-99999.99"/>
                            <xsd:maxInclusive value="999999.99"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="SecondaryEFCCCode" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:string">
                            <xsd:length value="1"/>
                            <xsd:enumeration value="O"/>
                            <xsd:enumeration value="S"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="Response" type="cod:ResponseType" minOccurs="0"/>
                <xsd:element name="Disbursement" minOccurs="0" maxOccurs="52">

```

```

CommonRecord40a.xsd
<xsd:complexType mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:DisbursementType">
      <xsd:sequence>
        <xsd:element name="Response" type="cod:ResponseType"
minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="LoanAwardType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:FinancialAwardType">
      <xsd:sequence>
        <xsd:element name="DependencyStatusCode" nillable="true" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:enumeration value="I"/>
              <xsd:enumeration value="D"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="EntranceCounseling" type="xsd:boolean" nillable="true" minOccurs="0"/>
        <xsd:element name="DefaultOverpayCode" type="cod:DefaultOverpayCodeType" minOccurs="0"/>
        <xsd:element name="FinancialAwardNumber" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:minInclusive value="1"/>
              <xsd:maxInclusive value="999"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="FinancialAwardID" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="21"/>
            </xsd:restriction>

```

CommonRecord40a.xsd

```
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="FinancialAwardCreateDate" type="xsd:date" nillable="true" minOccurs="0"/>
  <xsd:element name="ProgramOfStudy" nillable="true" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="3"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="ProgramCIPCode" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="20"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitCode" nillable="true" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="2"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitTestAdministratorCode" nillable="true" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="2"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitTestCode" nillable="true" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="2"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitStateCode" type="cod:StateProvinceCodeType" nillable="true"
minOccurs="0"/>
  <xsd:element name="AbilityToBenefitCompletionDate" type="xsd:date" nillable="true" minOccurs="0"/>
</xsd:sequence>
```

CommonRecord40a.xsd

```

        </xsd:extension>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="PellType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:FinancialAwardType">
            <xsd:sequence>
                <xsd:element name="FinancialAwardNumber" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:integer">
                            <xsd:minInclusive value="1"/>
                            <xsd:maxInclusive value="999"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="FinancialAwardID" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:string">
                            <xsd:maxLength value="21"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="AttendanceCost" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
                <xsd:element name="AcademicCalendarCode" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:string">
                            <xsd:length value="1"/>
                            <xsd:enumeration value="1"/>
                            <xsd:enumeration value="2"/>
                            <xsd:enumeration value="3"/>
                            <xsd:enumeration value="4"/>
                            <xsd:enumeration value="5"/>
                            <xsd:enumeration value="6"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="PaymentMethodologyCode" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                        <xsd:restriction base="xsd:string">
                            <xsd:length value="1"/>
                            <xsd:enumeration value="1"/>
                            <xsd:enumeration value="2"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
            </xsd:sequence>
        </xsd:extension>
    </xsd:complexContent>
</xsd:complexType>

```



```

CommonRecord40a.xsd
    <xsd:enumeration value="3"/>
    <xsd:enumeration value="4"/>
    <xsd:enumeration value="5"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="WeeksUsedCalculate" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="78"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="WeeksProgramsAcademicYear" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="78"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="HoursAwardYear" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="9999"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="HoursProgramsAcademicYear" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="9999"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="LowTuitionFeesCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>

```

```

CommonRecord40a.xsd
    <xsd:enumeration value="1"/>
    <xsd:enumeration value="2"/>
    <xsd:enumeration value="3"/>
    <xsd:enumeration value="4"/>
    <xsd:enumeration value=" "/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="IncarceratedIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
<xsd:element name="VerificationStatusCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="1"/>
      <xsd:enumeration value="W"/>
      <xsd:enumeration value="V"/>
      <xsd:enumeration value="S"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="EnrollmentDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="SecondaryEFCCCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="O"/>
      <xsd:enumeration value="S"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AdditionalEligibilityIndicator" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="ProgramCIPCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="20"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="2"/>
    </xsd:restriction>
  </xsd:simpleType>

```

```

CommonRecord40a.xsd
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitTestAdministratorCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="2"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitTestCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="2"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitStateCode" type="cod:StateProvinceCodeType" nillable="true"
minOccurs="0"/>
  <xsd:element name="AbilityToBenefitCompletionDate" type="xsd:date" nillable="true" minOccurs="0"/>
  <xsd:element name="Response" type="cod:GrantAwardResponseType" minOccurs="0"/>
  <xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
    <xsd:complexType mixed="false">
      <xsd:complexContent mixed="false">
        <xsd:extension base="cod:GrantDisbursementType">
          <xsd:sequence>
            <xsd:element name="Response"
type="cod:GrantDisbursementResponseType" minOccurs="0"/>
          </xsd:sequence>
        </xsd:extension>
      </xsd:complexContent>
    </xsd:complexType>
  </xsd:element>
  </xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="PLUSAwardType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:LoanAwardType">
      <xsd:sequence>
        <xsd:element name="FinancialAwardAmountRequested" type="cod:SmallCurrencyType" nillable="true"
minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

```



```

CommonRecord40a.xsd
  </xsd:simpleType>
</xsd:element>
<xsd:element name="GraduateStudentEligibilityOverride" type="xsd:boolean" nillable="true" minOccurs="0"/>
<xsd:element name="Response" type="cod:DLAwardResponseType" minOccurs="0"/>
<xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
  <xsd:complexType mixed="false">
    <xsd:complexContent mixed="false">
      <xsd:extension base="cod:DLDisbursementType">
        <xsd:sequence>
          <xsd:element name="Response"
type="cod:DLDisbursementResponseType" minOccurs="0"/>
        </xsd:sequence>
      </xsd:extension>
    </xsd:complexContent>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="UnsubsidizedAwardType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:StaffordAwardType">
      <xsd:sequence>
        <xsd:element name="HPPAIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
        <xsd:element name="AdditionalUnsubsidizedEligibilityIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
        <xsd:element name="PreprofessionalCourseworkIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
        <xsd:element name="Response" type="cod:DLAwardResponseType" minOccurs="0"/>
        <xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
          <xsd:complexType mixed="false">
            <xsd:complexContent mixed="false">
              <xsd:extension base="cod:DLDisbursementType">
                <xsd:sequence>
                  <xsd:element name="Response"
type="cod:DLDisbursementResponseType" minOccurs="0"/>
                </xsd:sequence>
              </xsd:extension>
            </xsd:complexContent>
          </xsd:complexType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:extension>

```

CommonRecord40a.xsd

```

</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="AcademicCompetitivenessGrantType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:FinancialAwardType">
      <xsd:sequence>
        <xsd:element name="FinancialAwardNumber" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:minInclusive value="0"/>
              <xsd:maxInclusive value="999"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="FinancialAwardID" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="21"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element ref="cod:StudentLevelCode" minOccurs="0"/>
        <xsd:element name="EnrollmentDate" type="xsd:date" nillable="true" minOccurs="0"/>
        <xsd:element name="EligibilityPaymentReasonCode" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="2"/>
              <xsd:enumeration value="01"/>
              <xsd:enumeration value="02"/>
              <xsd:enumeration value="03"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="RigorousHighSchoolProgramCode" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="6"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="Response" type="cod:GrantAwardResponseType" minOccurs="0"/>
        <xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">

```

```

CommonRecord40a.xsd
<xsd:complexType mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:GrantDisbursementType">
      <xsd:sequence>
        <xsd:element name="Response"
type="cod:GrantDisbursementResponseType" minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="NationalSMARTGrantType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:FinancialAwardType">
      <xsd:sequence>
        <xsd:element name="FinancialAwardNumber" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:minInclusive value="0"/>
              <xsd:maxInclusive value="999"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="FinancialAwardID" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="21"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element ref="cod:StudentLevelCode" minOccurs="0"/>
        <xsd:element name="EnrollmentDate" type="xsd:date" nillable="true" minOccurs="0"/>
        <xsd:element name="ProgramCIPCode" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="20"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

```

CommonRecord40a.xsd

```

</xsd:element>
<xsd:element name="Response" type="cod:GrantAwardResponseType" minOccurs="0"/>
<xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
  <xsd:complexType mixed="false">
    <xsd:complexContent mixed="false">
      <xsd:extension base="cod:GrantDisbursementType">
        <xsd:sequence>
          <xsd:element name="Response"
type="cod:GrantDisbursementResponseType" minOccurs="0"/>
        </xsd:sequence>
      </xsd:extension>
    </xsd:complexContent>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="GraduatePLUSAwardType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:LoanAwardType">
      <xsd:sequence>
        <xsd:element name="Response" type="cod:PLUSAwardResponseType" minOccurs="0"/>
        <xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
          <xsd:complexType mixed="false">
            <xsd:complexContent mixed="false">
              <xsd:extension base="cod:DLDisbursementType">
                <xsd:sequence>
                  <xsd:element name="Response"
type="cod:DLDisbursementResponseType" minOccurs="0"/>
                </xsd:sequence>
              </xsd:extension>
            </xsd:complexContent>
          </xsd:complexType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="TEACHType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:FinancialAwardType">

```


CommonRecord40a.xsd

```
<xsd:sequence>
  <xsd:element name="FinancialAwardNumber" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:integer">
        <xsd:minInclusive value="1"/>
        <xsd:maxInclusive value="999"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="FinancialAwardID" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="21"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element ref="cod:StudentLevelCode" minOccurs="0"/>
  <xsd:element name="EnrollmentDate" type="xsd:date" nillable="true" minOccurs="0"/>
  <xsd:element name="TeacherExpertIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
  <xsd:element name="EntranceCounseling" type="xsd:boolean" nillable="true" minOccurs="0"/>
  <xsd:element name="ProgramCIPCode" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="20"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitCode" nillable="true" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="2"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitTestAdministratorCode" nillable="true" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="2"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="AbilityToBenefitTestCode" nillable="true" minOccurs="0">
```

```

CommonRecord40a.xsd
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitStateCode" type="cod:StateProvinceCodeType" nillable="true"
minOccurs="0"/>
<xsd:element name="AbilityToBenefitCompletionDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="Response" type="cod:TEACHAwardResponseType" minOccurs="0"/>
<xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
  <xsd:complexType mixed="false">
    <xsd:complexContent mixed="false">
      <xsd:extension base="cod:GrantDisbursementType">
        <xsd:sequence>
          <xsd:element name="Response"
type="cod:GrantDisbursementResponseType" minOccurs="0"/>
        </xsd:sequence>
      </xsd:extension>
    </xsd:complexContent>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="CounselingType" mixed="false">
  <xsd:sequence>
    <xsd:element name="FinancialAwardYear" type="xsd:gYear" minOccurs="0"/>
    <xsd:element name="CounselingType" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string"/>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="CounselingSequenceNumber" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:integer">
          <xsd:minInclusive value="1"/>
          <xsd:maxInclusive value="999"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>

```

CommonRecord40a.xsd

```
<xsd:element name="CounselingCompleteDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="Response" type="cod:ResponseType" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="PerkinsType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:FinancialAwardType">
      <xsd:sequence>
        <xsd:element name="DependencyStatusCode" nillable="true" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:enumeration value="I"/>
              <xsd:enumeration value="D"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="EntranceCounseling" type="xsd:boolean" nillable="true" minOccurs="0"/>
        <xsd:element name="DefaultOverpayCode" type="cod:DefaultOverpayCodeType" minOccurs="0"/>
        <xsd:element name="FinancialAwardNumber" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:minInclusive value="1"/>
              <xsd:maxInclusive value="999"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="FinancialAwardID" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="21"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="FinancialAwardCreateDate" type="xsd:date" nillable="true" minOccurs="0"/>
        <xsd:element name="OriginationFeePercent" nillable="true" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:decimal">
              <xsd:minInclusive value="0"/>
              <xsd:maxInclusive value="100"/>
              <xsd:totalDigits value="6"/>
              <xsd:fractionDigits value="3"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</complexType>
```

```

CommonRecord40a.xsd
  </xsd:simpleType>
</xsd:element>
<xsd:element name="InterestRebatePercent" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="100"/>
      <xsd:totalDigits value="6"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="PromissoryNotePrintCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="S"/>
      <xsd:enumeration value="R"/>
      <xsd:enumeration value="Z"/>
      <xsd:enumeration value="V"/>
      <xsd:enumeration value="O"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="DisclosureStatementPrintCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="Y"/>
      <xsd:enumeration value="R"/>
      <xsd:enumeration value="S"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element ref="cod:StudentLevelCode" minOccurs="0"/>
<xsd:element name="FinancialAwardBeginDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="FinancialAwardEndDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="AcademicYearBeginDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="AcademicYearEndDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="ProgramCIPCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">

```

```

CommonRecord40a.xsd
  <xsd:maxLength value="20"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="2"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitTestAdministratorCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="2"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitTestCode" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="2"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AbilityToBenefitStateCode" type="cod:StateProvinceCodeType" nillable="true"
minOccurs="0"/>
<xsd:element name="AbilityToBenefitCompletionDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="Response" type="cod:DLAwardResponseType" minOccurs="0"/>
<xsd:element name="Disbursement" minOccurs="0" maxOccurs="2000">
  <xsd:complexType mixed="false">
    <xsd:complexContent mixed="false">
      <xsd:extension base="cod:DLDisbursementType">
        <xsd:sequence>
          <xsd:element name="Response"
type="cod:DLDisbursementResponseType" minOccurs="0"/>
        </xsd:sequence>
      </xsd:extension>
    </xsd:complexContent>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>

```

CommonRecord40a.xsd

```

        </xsd:extension>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="AlternativeLoanType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:FinancialAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DLPLUStype" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:PLUSAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DLSubsidizedType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:SubsidizedAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DLUnsubsidizedType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:UnsubsidizedAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="SEOGType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:CampusBasedAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="FWSPType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:CampusBasedAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DLGraduatePLUStype" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:GraduatePLUSAwardType"/>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DisbursementType">
    <xsd:sequence>
        <xsd:element name="DisbursementAmount" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
        <xsd:element name="DisbursementDate" type="xsd:date" nillable="true" minOccurs="0"/>
    </xsd:sequence>

```

CommonRecord40a.xsd

```

<xsd:element name="DisbursementReleaseIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
<xsd:element name="DisbursementSequenceNumber" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="1"/>
      <xsd:maxInclusive value="99"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="EnrollmentSchoolCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:minLength value="8"/>
      <xsd:maxLength value="8"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="Note" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="cod:SchoolNoteMessage" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
<xsd:attribute name="Number" use="required">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:maxInclusive value="99"/>
      <xsd:minInclusive value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
</xsd:complexType>
<xsd:complexType name="DLDisbursementType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:DisbursementType">
      <xsd:sequence>
        <xsd:element name="FirstDisbursementIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
        <xsd:element name="DisbursementNetAmount" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
        <xsd:element name="DisbursementFeeAmount" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
        <xsd:element name="InterestRebateAmount" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

```

CommonRecord40a.xsd

```
<xsd:element name="DisbursementConfirmationIndicator" type="xsd:boolean" nillable="true" minOccurs="0"/>
<xsd:element name="PaymentPeriodStartDate" type="xsd:date" nillable="true" minOccurs="0"/>
<xsd:element name="EnrollmentStatus" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="F"/> <!-- "F" is an enumeration for "Full Time" -->
      <xsd:enumeration value="Q"/> <!-- "Q" is an enumeration for "Three Quarters Time"

-->

      <xsd:enumeration value="H"/> <!-- "H" is an enumeration for "Half Time" -->
      <xsd:enumeration value="L"/> <!-- "L" is an enumeration for "Less Than Half Time" -->
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="ProgramCIPCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="20"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="GrantDisbursementType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:DisbursementType">
      <xsd:sequence>
        <xsd:element name="PaymentPeriodStartDate" type="xsd:date" nillable="true" minOccurs="0"/>
        <xsd:element name="EnrollmentStatus" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:length value="1"/>
              <xsd:enumeration value="F"/> <!-- "F" is an enumeration for "Full Time" -->
              <xsd:enumeration value="Q"/> <!-- "Q" is an enumeration for "Three Quarters Time"

-->

              <xsd:enumeration value="H"/> <!-- "H" is an enumeration for "Half Time" -->
              <xsd:enumeration value="L"/> <!-- "L" is an enumeration for "Less Than Half Time" -->
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
```



```

CommonRecord40a.xsd
    <xsd:element name="ProgramCIPCode" minOccurs="0">
        <xsd:simpleType>
            <xsd:restriction base="xsd:string">
                <xsd:maxLength value="20"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="ResponseType">
    <xsd:sequence>
        <xsd:element name="ResponseCode" minOccurs="0">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:length value="1"/>
                    <xsd:enumeration value="A"/>
                    <xsd:enumeration value="R"/>
                    <xsd:enumeration value="D"/>
                    <xsd:enumeration value="C"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="EditProcessResult" type="cod:EditProcessResultType" minOccurs="0" maxOccurs="100"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="StudentResponseType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:ResponseType">
            <xsd:sequence>
                <xsd:element name="SubsidizedUsageLimitApplies" type="xsd:boolean" minOccurs="0"/>
                <xsd:element name="SumActualSubUsagePeriods" type="cod:SmallValueType" minOccurs="0"/>
                <xsd:element name="SumActualNonCredTeacherCertSubUsagePeriods" type="cod:SmallValueType"
minOccurs="0"/>
            </xsd:sequence>
        </xsd:extension>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="LoanAwardResponseType" mixed="false">
    <xsd:complexContent mixed="false">
        <xsd:extension base="cod:ResponseType">

```

CommonRecord40a.xsd

```

<xsd:sequence>
  <xsd:element name="EMPNIndicator" type="xsd:boolean" minOccurs="0"/>
  <xsd:element name="MPNID" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:maxLength value="23"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="MPNStatusCode" minOccurs="0">
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:length value="1"/>
        <xsd:enumeration value="A"/>
        <xsd:enumeration value="R"/>
        <xsd:enumeration value="X"/>
        <xsd:enumeration value="I"/>
        <xsd:enumeration value="C"/>
        <xsd:enumeration value="P"/>
        <xsd:enumeration value="S"/>
        <xsd:enumeration value="E"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:element>
  <xsd:element name="MPNLinkIndicator" type="xsd:boolean" minOccurs="0"/>
  <xsd:element name="MPNExpirationDate" type="xsd:date" minOccurs="0"/>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DLAwardResponseType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:LoanAwardResponseType">
      <xsd:sequence>
        <xsd:element name="PaymentToServicerAmount" nillable="true" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:decimal">
              <xsd:minInclusive value="-9999999.99"/>
              <xsd:maxInclusive value="9999999.99"/>
              <xsd:totalDigits value="9"/>
              <xsd:fractionDigits value="2"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

```

CommonRecord40a.xsd

```
</xsd:simpleType>
</xsd:element>
<xsd:element name="PaymentToServicerDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="BookedAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="BookedDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="LoanServicer" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="50"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="YTDDisbursementAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="EntranceCounseling" type="xsd:boolean" nillable="true" minOccurs="0"/>
<xsd:element name="CalculatedPublishedPgmLengthYears" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="999.999"/>
      <xsd:totalDigits value="6"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AnticipatedSubUsagePeriod" type="cod:SmallValueType" minOccurs="0"/>
<xsd:element name="ActualSubUsagePeriod" type="cod:SmallValueType" minOccurs="0"/>
<xsd:element name="AcademicYearLength" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="9999"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="LoanPeriodLength" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="9999.999"/>
      <xsd:totalDigits value="7"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
```

```

CommonRecord40a.xsd
  </xsd:simpleType>
  </xsd:element>
  <xsd:element name="MaxSubEligibilityPeriod" type="cod:SmallValueType" minOccurs="0"/>
  <xsd:element name="RemainingActualSubEligibilityPeriod" type="cod:SignedSmallValueType" minOccurs="0"/>
  <xsd:element name="RemainingAnticipatedSubEligibilityPeriod" type="cod:SignedSmallValueType"
minOccurs="0"/>
  <xsd:element name="SumAnticipatedSubUsagePeriods" type="cod:SmallValueType" minOccurs="0"/>
  <xsd:element name="AnticipatedNonCredTeacherCertSubUsagePeriod" type="cod:SmallValueType"
minOccurs="0"/>
  <xsd:element name="ActualNonCredTeacherCertSubUsagePeriod" type="cod:SmallValueType" minOccurs="0"/>
  <xsd:element name="RemainingActualNonCredTeacherCertSubEligibilityPeriod"
type="cod:SignedSmallValueType" minOccurs="0"/>
  <xsd:element name="RemainingAnticipatedNonCredTeacherCertSubEligibilityPeriod"
type="cod:SignedSmallValueType" minOccurs="0"/>
  <xsd:element name="SumAnticipatedNonCredTeacherCertSubUsagePeriods" type="cod:SmallValueType"
minOccurs="0"/>
  </xsd:sequence>
  </xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="PLUSAwardResponseType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:DLAwardResponseType">
      <xsd:sequence>
        <xsd:element name="ApplicationSubmissionReason" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:string">
              <xsd:maxLength value="30"/>
              <xsd:enumeration value="NewApplication"/>
              <xsd:enumeration value="LoanAmountIncrease"/>
              <xsd:enumeration value="LoanAmountDecrease"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="PreviousApplicationID" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:maxInclusive value="9999999999"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
        <xsd:element name="Endorser" type="cod:EndorserType" minOccurs="0"/>

```

CommonRecord40a.xsd

```
<xsd:element name="EndorserAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="OriginalCreditDecisionStatus" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="A"/>
      <xsd:enumeration value="D"/>
      <xsd:enumeration value="P"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="CreditDecisionStatus" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="A"/>
      <xsd:enumeration value="D"/>
      <xsd:enumeration value="P"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="CreditActionChoice" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="A"/>
      <xsd:enumeration value="E"/>
      <xsd:enumeration value="N"/>
      <xsd:enumeration value="U"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="CreditAppealStatus" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="A"/>
      <xsd:enumeration value="D"/>
      <xsd:enumeration value="P"/>
      <xsd:enumeration value="R"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
```

CommonRecord40a.xsd

```

</xsd:element>
<xsd:element name="CreditDecisionDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="CreditDecisionExpirationDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="CreditOverrideCode" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="C"/>
      <xsd:enumeration value="D"/>
      <xsd:enumeration value="E"/>
      <xsd:enumeration value="N"/>
      <xsd:enumeration value="L"/>
      <xsd:enumeration value="A"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="ApplicationLoanAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="MaximumLoanIndicator" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="UnknownLoanAmount" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="ApplicationCompleteDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="AwardRangeRequestedStartDate" type="xsd:gYearMonth" minOccurs="0"/>
<xsd:element name="AwardRangeRequestedEndDate" type="xsd:gYearMonth" minOccurs="0"/>
<xsd:element name="DefermentOption" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="SixMonthDefermentOption" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="SchoolCreditBalanceOption" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="CreditBalanceOption" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:length value="1"/>
      <xsd:enumeration value="S"/>
      <xsd:enumeration value="B"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="GrantAwardResponseType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:ResponseType">
      <xsd:sequence>

```

CommonRecord40a.xsd

```
<xsd:element name="YTDDisbursementAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="TotalEligibilityUsed" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="999.999"/>
      <xsd:totalDigits value="6"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="ScheduledGrant" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
<xsd:element name="NegativePendingAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="FSACode" minOccurs="0" maxOccurs="3">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="SA"/>
      <xsd:enumeration value="CE"/>
      <xsd:enumeration value="PO"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="CPSVerificationIndicator" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="HighestCPSTransactionNumber" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="1"/>
      <xsd:maxInclusive value="99"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="LifetimeEligibilityUsed" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:decimal">
      <xsd:minInclusive value="0"/>
      <xsd:maxInclusive value="9999.999"/>
      <xsd:totalDigits value="7"/>
      <xsd:fractionDigits value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="AwardLinkedExpectedFamilyContribution" type="cod:SignedSmallCurrencyType"
```

CommonRecord40a.xsd

minOccurs="0"/>

```
<xsd:element name="NewExpectedFamilyContribution" type="cod:SignedSmallCurrencyType" minOccurs="0"/>
<xsd:element name="NewPellEligibility" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="NewCPSPProcessDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="LinkedCPSPProcessDate" type="xsd:date" minOccurs="0"/>
<xsd:element name="NewCPSTransactionNumber" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="1"/>
      <xsd:maxInclusive value="99"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="NewScheduledGrant" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
<xsd:element name="IssuedDisbursementAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
<xsd:element name="LinkedPellEligibility" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="ProfessionalJudgmentFlag" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="NewDoDMatchFlag" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="LinkedDoDMatchFlag" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="TEACHAwardResponseType" mixed="false">
```


CommonRecord40a.xsd

```

<xsd:complexContent mixed="false">
  <xsd:extension base="cod:ResponseType">
    <xsd:sequence>
      <xsd:element name="YTDDisbursementAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
      <xsd:element name="TotalEligibilityUsed" minOccurs="0">
        <xsd:simpleType>
          <xsd:restriction base="xsd:decimal">
            <xsd:minInclusive value="0"/>
            <xsd:maxInclusive value="999.999"/>
            <xsd:totalDigits value="6"/>
            <xsd:fractionDigits value="3"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
      <xsd:element name="ScheduledGrant" type="cod:SmallCurrencyType" nillable="true" minOccurs="0"/>
      <xsd:element name="ElectronicAgreementToServeIndicator" type="xsd:boolean" minOccurs="0"/>
      <xsd:element name="AgreementToServeID" minOccurs="0">
        <xsd:simpleType>
          <xsd:restriction base="xsd:string">
            <xsd:maxLength value="23"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
      <xsd:element name="AgreementToServeStatusCode" minOccurs="0">
        <xsd:simpleType>
          <xsd:restriction base="xsd:string">
            <xsd:length value="1"/>
            <xsd:enumeration value="A"/>
            <xsd:enumeration value="R"/>
            <xsd:enumeration value="P"/>
            <xsd:enumeration value="C"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
      <xsd:element name="AgreementToServeLinkIndicator" type="xsd:boolean" minOccurs="0"/>
      <xsd:element name="BookedAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
      <xsd:element name="BookedDate" type="xsd:date" minOccurs="0"/>
      <xsd:element name="NegativePendingAmount" type="cod:SmallCurrencyType" minOccurs="0"/>
      <xsd:element name="FSACode" minOccurs="0" maxOccurs="3">
        <xsd:simpleType>
          <xsd:restriction base="xsd:string">
            <xsd:enumeration value="SA"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
    </xsd:sequence>
  </xsd:extension>
</complexContent>

```

```

CommonRecord40a.xsd
    <xsd:enumeration value="CE"/>
    <xsd:enumeration value="PO"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="CPSVerificationIndicator" type="xsd:boolean" minOccurs="0"/>
<xsd:element name="HighestCPSTransactionNumber" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:integer">
      <xsd:minInclusive value="1"/>
      <xsd:maxInclusive value="99"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="LoanServicer" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="50"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="EntranceCounseling" type="xsd:boolean" nillable="true" minOccurs="0"/>
</xsd:sequence>
</xsd:extension>
</xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="DLDisbursementResponseType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:ResponseType">
      <xsd:sequence>
        <xsd:element name="PreviousSequenceNumber" nillable="true" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:minInclusive value="1"/>
              <xsd:maxInclusive value="99"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

```

CommonRecord40a.xsd

```

<xsd:complexType name="GrantDisbursementResponseType" mixed="false">
  <xsd:complexContent mixed="false">
    <xsd:extension base="cod:ResponseType">
      <xsd:sequence>
        <xsd:element name="PreviousSequenceNumber" nillable="true" minOccurs="0">
          <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
              <xsd:minInclusive value="1"/>
              <xsd:maxInclusive value="99"/>
            </xsd:restriction>
          </xsd:simpleType>
        </xsd:element>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="EditProcessResultType">
  <xsd:sequence>
    <xsd:element name="ResponseErrorCode">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:maxLength value="3"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="ResponseMessage" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:minLength value="1"/>
          <xsd:maxLength value="150"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="ResponseErrorField">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:maxLength value="50"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="ResponseErrorValue" nillable="true" minOccurs="0">
      <xsd:simpleType>

```

```

CommonRecord40a.xsd
    <xsd:restriction base="xsd:string">
        <xsd:maxLength value="150"/>
    </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="ReportedValue" minOccurs="0">
    <xsd:simpleType>
        <xsd:restriction base="xsd:string">
            <xsd:maxLength value="150"/>
        </xsd:restriction>
    </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ReportingSchoolResponseType">
    <xsd:sequence>
        <xsd:element name="ResponseFinancialSummary" minOccurs="0" maxOccurs="120">
            <xsd:complexType mixed="false">
                <xsd:complexContent mixed="false">
                    <xsd:extension base="cod:ResponseFinancialSummaryType"/>
                </xsd:complexContent>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="ResponseCode" minOccurs="0">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:length value="1"/>
                    <xsd:enumeration value="A"/>
                    <xsd:enumeration value="R"/>
                    <xsd:enumeration value="D"/>
                    <xsd:enumeration value="C"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="EditProcessResult" type="cod:EditProcessResultType" minOccurs="0" maxOccurs="100"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ResponseFinancialSummaryType">
    <xsd:sequence>
        <xsd:element name="FinancialAwardType" type="cod:FinancialAwards"/>
        <xsd:element name="FinancialAwardYear" type="xsd:gYear"/>
        <xsd:element name="TotalCount" type="cod:TotalCountType"/>
    </xsd:sequence>

```

CommonRecord40a.xsd

```
<xsd:element name="TotalCountAccepted" type="cod:TotalCountType" minOccurs="0"/>
<xsd:element name="TotalCountRejected" type="cod:TotalCountType" minOccurs="0"/>
<xsd:element name="TotalCountCorrected" type="cod:TotalCountType" minOccurs="0"/>
<xsd:element name="TotalCountDuplicate" type="cod:TotalCountType" minOccurs="0"/>
<xsd:element name="TotalCountVerificationSelected" type="cod:TotalCountType" minOccurs="0"/>
<xsd:element name="TotalCountSSAdministration" type="cod:TotalCountType" minOccurs="0"/>
<xsd:element name="TotalReportedAward" type="cod:LargeCurrencyType" minOccurs="0"/>
<xsd:element name="TotalReportedDisbursement" type="cod:LargeCurrencyType" minOccurs="0"/>
<xsd:element name="TotalFinancialAwardAccepted" type="cod:LargeCurrencyType" minOccurs="0"/>
<xsd:element name="TotalFinancialDisbursementAccepted" type="cod:SignedLargeCurrencyType" minOccurs="0"/>
<xsd:element name="TotalFundedDisbursementAccepted" type="cod:SignedLargeCurrencyType" minOccurs="0"/>
<xsd:element name="TotalNonFundedDisbursementAccepted" type="cod:SignedLargeCurrencyType" minOccurs="0"/>
<xsd:element name="TotalFinancialAwardCorrected" type="cod:LargeCurrencyType" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="AddressLineType">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="40"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CityType">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="2"/>
    <xsd:maxLength value="30"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CountryCodeType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="AF"/>
    <xsd:enumeration value="AX"/>
    <xsd:enumeration value="AL"/>
    <xsd:enumeration value="DZ"/>
    <xsd:enumeration value="AS"/>
    <xsd:enumeration value="AD"/>
    <xsd:enumeration value="AO"/>
    <xsd:enumeration value="AI"/>
    <xsd:enumeration value="AQ"/>
    <xsd:enumeration value="AG"/>
    <xsd:enumeration value="AR"/>
    <xsd:enumeration value="AM"/>
    <xsd:enumeration value="AW"/>
  </xsd:restriction>
</xsd:simpleType>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="AU"/>
<xsd:enumeration value="AT"/>
<xsd:enumeration value="AZ"/>
<xsd:enumeration value="BS"/>
<xsd:enumeration value="BH"/>
<xsd:enumeration value="BD"/>
<xsd:enumeration value="BB"/>
<xsd:enumeration value="BY"/>
<xsd:enumeration value="BE"/>
<xsd:enumeration value="BZ"/>
<xsd:enumeration value="BJ"/>
<xsd:enumeration value="BM"/>
<xsd:enumeration value="BT"/>
<xsd:enumeration value="BO"/>
<xsd:enumeration value="BA"/>
<xsd:enumeration value="BW"/>
<xsd:enumeration value="BV"/>
<xsd:enumeration value="BR"/>
<xsd:enumeration value="IO"/>
<xsd:enumeration value="BN"/>
<xsd:enumeration value="BG"/>
<xsd:enumeration value="BF"/>
<xsd:enumeration value="BI"/>
<xsd:enumeration value="KH"/>
<xsd:enumeration value="CM"/>
<xsd:enumeration value="CA"/>
<xsd:enumeration value="CV"/>
<xsd:enumeration value="KY"/>
<xsd:enumeration value="CF"/>
<xsd:enumeration value="TD"/>
<xsd:enumeration value="CL"/>
<xsd:enumeration value="CN"/>
<xsd:enumeration value="CX"/>
<xsd:enumeration value="CC"/>
<xsd:enumeration value="CO"/>
<xsd:enumeration value="KM"/>
<xsd:enumeration value="CG"/>
<xsd:enumeration value="CD"/>
<xsd:enumeration value="CK"/>
<xsd:enumeration value="CR"/>
<xsd:enumeration value="CI"/>
<xsd:enumeration value="HR"/>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="CU"/>
<xsd:enumeration value="CY"/>
<xsd:enumeration value="CZ"/>
<xsd:enumeration value="DK"/>
<xsd:enumeration value="DJ"/>
<xsd:enumeration value="DM"/>
<xsd:enumeration value="DO"/>
<xsd:enumeration value="EC"/>
<xsd:enumeration value="EG"/>
<xsd:enumeration value="SV"/>
<xsd:enumeration value="GQ"/>
<xsd:enumeration value="ER"/>
<xsd:enumeration value="EE"/>
<xsd:enumeration value="ET"/>
<xsd:enumeration value="FK"/>
<xsd:enumeration value="FO"/>
<xsd:enumeration value="FJ"/>
<xsd:enumeration value="FI"/>
<xsd:enumeration value="FR"/>
<xsd:enumeration value="GF"/>
<xsd:enumeration value="PF"/>
<xsd:enumeration value="TF"/>
<xsd:enumeration value="GA"/>
<xsd:enumeration value="GM"/>
<xsd:enumeration value="GE"/>
<xsd:enumeration value="DE"/>
<xsd:enumeration value="GH"/>
<xsd:enumeration value="GI"/>
<xsd:enumeration value="GR"/>
<xsd:enumeration value="GL"/>
<xsd:enumeration value="GD"/>
<xsd:enumeration value="GP"/>
<xsd:enumeration value="GU"/>
<xsd:enumeration value="GT"/>
<xsd:enumeration value="GN"/>
<xsd:enumeration value="GW"/>
<xsd:enumeration value="GY"/>
<xsd:enumeration value="HT"/>
<xsd:enumeration value="HM"/>
<xsd:enumeration value="VA"/>
<xsd:enumeration value="HN"/>
<xsd:enumeration value="HK"/>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="HU"/>
<xsd:enumeration value="IS"/>
<xsd:enumeration value="IN"/>
<xsd:enumeration value="ID"/>
<xsd:enumeration value="IR"/>
<xsd:enumeration value="IQ"/>
<xsd:enumeration value="IE"/>
<xsd:enumeration value="IL"/>
<xsd:enumeration value="IT"/>
<xsd:enumeration value="JM"/>
<xsd:enumeration value="JP"/>
<xsd:enumeration value="JO"/>
<xsd:enumeration value="KZ"/>
<xsd:enumeration value="KE"/>
<xsd:enumeration value="KI"/>
<xsd:enumeration value="KP"/>
<xsd:enumeration value="KR"/>
<xsd:enumeration value="KW"/>
<xsd:enumeration value="KG"/>
<xsd:enumeration value="LA"/>
<xsd:enumeration value="LV"/>
<xsd:enumeration value="LB"/>
<xsd:enumeration value="LS"/>
<xsd:enumeration value="LR"/>
<xsd:enumeration value="LY"/>
<xsd:enumeration value="LI"/>
<xsd:enumeration value="LT"/>
<xsd:enumeration value="LU"/>
<xsd:enumeration value="MO"/>
<xsd:enumeration value="MK"/>
<xsd:enumeration value="MG"/>
<xsd:enumeration value="MW"/>
<xsd:enumeration value="MY"/>
<xsd:enumeration value="MV"/>
<xsd:enumeration value="ML"/>
<xsd:enumeration value="MT"/>
<xsd:enumeration value="MH"/>
<xsd:enumeration value="MQ"/>
<xsd:enumeration value="MR"/>
<xsd:enumeration value="MU"/>
<xsd:enumeration value="YT"/>
<xsd:enumeration value="MX"/>
```


CommonRecord40a.xsd

```
<xsd:enumeration value="FM"/>
<xsd:enumeration value="MD"/>
<xsd:enumeration value="MC"/>
<xsd:enumeration value="MN"/>
<xsd:enumeration value="MS"/>
<xsd:enumeration value="MA"/>
<xsd:enumeration value="MZ"/>
<xsd:enumeration value="MM"/>
<xsd:enumeration value="NA"/>
<xsd:enumeration value="NR"/>
<xsd:enumeration value="NP"/>
<xsd:enumeration value="NL"/>
<xsd:enumeration value="AN"/>
<xsd:enumeration value="NC"/>
<xsd:enumeration value="NZ"/>
<xsd:enumeration value="NI"/>
<xsd:enumeration value="NE"/>
<xsd:enumeration value="NG"/>
<xsd:enumeration value="NU"/>
<xsd:enumeration value="NF"/>
<xsd:enumeration value="MP"/>
<xsd:enumeration value="NO"/>
<xsd:enumeration value="OM"/>
<xsd:enumeration value="PK"/>
<xsd:enumeration value="PW"/>
<xsd:enumeration value="PS"/>
<xsd:enumeration value="PA"/>
<xsd:enumeration value="PG"/>
<xsd:enumeration value="PY"/>
<xsd:enumeration value="PE"/>
<xsd:enumeration value="PH"/>
<xsd:enumeration value="PN"/>
<xsd:enumeration value="PL"/>
<xsd:enumeration value="PT"/>
<xsd:enumeration value="PR"/>
<xsd:enumeration value="QA"/>
<xsd:enumeration value="RE"/>
<xsd:enumeration value="RO"/>
<xsd:enumeration value="RU"/>
<xsd:enumeration value="RS"/>
<xsd:enumeration value="RW"/>
<xsd:enumeration value="SH"/>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="KN"/>
<xsd:enumeration value="LC"/>
<xsd:enumeration value="PM"/>
<xsd:enumeration value="VC"/>
<xsd:enumeration value="WS"/>
<xsd:enumeration value="SM"/>
<xsd:enumeration value="ST"/>
<xsd:enumeration value="SA"/>
<xsd:enumeration value="SN"/>
<xsd:enumeration value="SC"/>
<xsd:enumeration value="SL"/>
<xsd:enumeration value="SG"/>
<xsd:enumeration value="SK"/>
<xsd:enumeration value="SI"/>
<xsd:enumeration value="SB"/>
<xsd:enumeration value="SO"/>
<xsd:enumeration value="ZA"/>
<xsd:enumeration value="GS"/>
<xsd:enumeration value="ES"/>
<xsd:enumeration value="LK"/>
<xsd:enumeration value="SD"/>
<xsd:enumeration value="SR"/>
<xsd:enumeration value="SJ"/>
<xsd:enumeration value="SZ"/>
<xsd:enumeration value="SE"/>
<xsd:enumeration value="CH"/>
<xsd:enumeration value="SY"/>
<xsd:enumeration value="TW"/>
<xsd:enumeration value="TJ"/>
<xsd:enumeration value="TZ"/>
<xsd:enumeration value="TH"/>
<xsd:enumeration value="TL"/>
<xsd:enumeration value="TG"/>
<xsd:enumeration value="TK"/>
<xsd:enumeration value="TO"/>
<xsd:enumeration value="TT"/>
<xsd:enumeration value="TN"/>
<xsd:enumeration value="TR"/>
<xsd:enumeration value="TM"/>
<xsd:enumeration value="TC"/>
<xsd:enumeration value="TV"/>
<xsd:enumeration value="UG"/>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="UA"/>
<xsd:enumeration value="AE"/>
<xsd:enumeration value="GB"/>
<xsd:enumeration value="US"/>
<xsd:enumeration value="UM"/>
<xsd:enumeration value="UY"/>
<xsd:enumeration value="UZ"/>
<xsd:enumeration value="VU"/>
<xsd:enumeration value="VE"/>
<xsd:enumeration value="VN"/>
<xsd:enumeration value="VG"/>
<xsd:enumeration value="VI"/>
<xsd:enumeration value="WF"/>
<xsd:enumeration value="EH"/>
<xsd:enumeration value="YE"/>
<xsd:enumeration value="ZM"/>
<xsd:enumeration value="ZW"/>
<xsd:enumeration value="GG"/>
<xsd:enumeration value="IM"/>
<xsd:enumeration value="JE"/>
<xsd:enumeration value="ME"/>
<xsd:enumeration value="BL"/>
<xsd:enumeration value="MF"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PostalCodeType">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="17"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="StateProvinceCodeType">
  <xsd:restriction base="xsd:token">
    <xsd:enumeration value="AA">
      <xsd:annotation>
        <xsd:documentation>MILITARY-AMERICAS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="AB">
      <xsd:annotation>
        <xsd:documentation>ALBERTA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
```

CommonRecord40a.xsd

```
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>MILITARY-EUROPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>ALASKA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>ALABAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AP">
  <xsd:annotation>
    <xsd:documentation>MILITARY-PACIFIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>ARKANSAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>AMERICAN SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>ARIZONA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BC">
  <xsd:annotation>
    <xsd:documentation>BRITISH COLUMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
```

CommonRecord40a.xsd

```
<xsd:annotation>
  <xsd:documentation>CALIFORNIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
    <xsd:documentation>COLORADO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CT">
  <xsd:annotation>
    <xsd:documentation>CONNECTICUT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZ">
  <xsd:annotation>
    <xsd:documentation>CANAL ZONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DC">
  <xsd:annotation>
    <xsd:documentation>DISTRICT OF COLUMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>DELAWARE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FL">
  <xsd:annotation>
    <xsd:documentation>FLORIDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
    <xsd:documentation>FEDERATED STATES OF MICRONESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

CommonRecord40a.xsd

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>GUAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>HAWAII</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>IOWA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
  <xsd:annotation>
    <xsd:documentation>IDAHO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IL">
  <xsd:annotation>
    <xsd:documentation>ILLINOIS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>INDIANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KS">
  <xsd:annotation>
    <xsd:documentation>KANSAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>KENTUCKY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>LOUISIANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>MASSACHUSETTS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MB">
  <xsd:annotation>
    <xsd:documentation>MANITOBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>MARYLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>MAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>MARSHALL ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>MICHIGAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>MINNESOTA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
```

CommonRecord40a.xsd

```
        <xsd:documentation>MISSOURI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MP">
      <xsd:annotation>
        <xsd:documentation>NORTHERN MARIANA ISLANDS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MS">
      <xsd:annotation>
        <xsd:documentation>MISSISSIPPI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MT">
      <xsd:annotation>
        <xsd:documentation>MONTANA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NB">
      <xsd:annotation>
        <xsd:documentation>NEW BRUNSWICK</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NC">
      <xsd:annotation>
        <xsd:documentation>NORTH CAROLINA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ND">
      <xsd:annotation>
        <xsd:documentation>NORTH DAKOTA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NE">
      <xsd:annotation>
        <xsd:documentation>NEBRASKA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NF">
      <xsd:annotation>
        <xsd:documentation>NEWFOUNDLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```


CommonRecord40a.xsd

```
</xsd:enumeration>
<xsd:enumeration value="NH">
  <xsd:annotation>
    <xsd:documentation>NEW HAMPSHIRE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NJ">
  <xsd:annotation>
    <xsd:documentation>NEW JERSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>NEWFOUNDLAND AND LABRADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NM">
  <xsd:annotation>
    <xsd:documentation>NEW MEXICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NS">
  <xsd:annotation>
    <xsd:documentation>NOVA SCOTIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NT">
  <xsd:annotation>
    <xsd:documentation>NORTHWEST TERRITORIES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NU">
  <xsd:annotation>
    <xsd:documentation>NUNAVUT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>NEVADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
```

CommonRecord40a.xsd

```
<xsd:annotation>
  <xsd:documentation>NEW YORK</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OH">
  <xsd:annotation>
    <xsd:documentation>OHIO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OK">
  <xsd:annotation>
    <xsd:documentation>OKLAHOMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ON">
  <xsd:annotation>
    <xsd:documentation>ONTARIO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OR">
  <xsd:annotation>
    <xsd:documentation>OREGON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>PENNSYLVANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>PRINCE EDWARD ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>PUERTO RICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>REPUBLIC OF PALAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

CommonRecord40a.xsd

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QC">
  <xsd:annotation>
    <xsd:documentation>QUEBEC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RI">
  <xsd:annotation>
    <xsd:documentation>RHODE ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>SOUTH CAROLINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>SOUTH DAKOTA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>SASKATCHEWAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>TENNESSEE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TX">
  <xsd:annotation>
    <xsd:documentation>TEXAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UT">
  <xsd:annotation>
    <xsd:documentation>UTAH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

CommonRecord40a.xsd

```
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>VIRGINIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VT">
  <xsd:annotation>
    <xsd:documentation>VERMONT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WA">
  <xsd:annotation>
    <xsd:documentation>WASHINGTON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WI">
  <xsd:annotation>
    <xsd:documentation>WISCONSIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WV">
  <xsd:annotation>
    <xsd:documentation>WEST VIRGINIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WY">
  <xsd:annotation>
    <xsd:documentation>WYOMING</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
  <xsd:annotation>
    <xsd:documentation>YUKON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
```

CommonRecord40a.xsd

```

<xsd:simpleType name="StateProvinceType">
  <xsd:annotation>
    <xsd:documentation>
The literal name of the state, province or territory of a postal address. Use for addresses outside US or Canada.
</xsd:documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:minLength value="2"/>
      <xsd:maxLength value="30"/>
    </xsd:restriction>
  </xsd:simpleType>
<xsd:group name="CommonAddressDetailsGroup">
  <xsd:annotation>
    <xsd:documentation>
This Address Group is for common items to all Addresses
</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
      <xsd:element name="AddressLine" type="cod:AddressLineType" maxOccurs="3"/>
      <xsd:element name="City" type="cod:CityType"/>
    </xsd:sequence>
  </xsd:group>
  <xsd:group name="DomesticAddressDetailsGroup">
    <xsd:annotation>
      <xsd:documentation>
This Address Group is for items specific for US Addresses
</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
      <xsd:element name="StateProvinceCode" type="cod:StateProvinceCodeType"/>
      <xsd:element name="PostalCode" type="cod:PostalCodeType"/>
    </xsd:sequence>
  </xsd:group>
  <xsd:group name="InternationalAddressDetailsGroup">
    <xsd:annotation>
      <xsd:documentation>
This Address Group is for items specific for International Addresses
</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
      <xsd:element name="StateProvince" type="cod:StateProvinceType" minOccurs="0"/>
      <xsd:element name="PostalCode" type="cod:PostalCodeType" minOccurs="0"/>
    </xsd:sequence>
  </xsd:group>

```

CommonRecord40a.xsd

```

        <xsd:element name="CountryCode" type="cod:CountryCodeType"/>
    </xsd:sequence>
</xsd:group>
<xsd:group name="DomesticAddressGroup">
    <xsd:annotation>
        <xsd:documentation>This is a complete Domestic Address definition</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:group ref="cod:CommonAddressDetailsGroup"/>
        <xsd:group ref="cod:DomesticAddressDetailsGroup"/>
    </xsd:sequence>
</xsd:group>
<xsd:group name="InternationalAddressGroup">
    <xsd:annotation>
        <xsd:documentation>
This is a complete International Address definition
</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:group ref="cod:CommonAddressDetailsGroup"/>
        <xsd:group ref="cod:InternationalAddressDetailsGroup"/>
    </xsd:sequence>
</xsd:group>
<xsd:group name="GeneralAddressGroup">
    <xsd:annotation>
        <xsd:documentation>
This is a combined Address Group for a choice between Domestic or International
</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:group ref="cod:CommonAddressDetailsGroup"/>
        <xsd:choice>
            <xsd:group ref="cod:DomesticAddressDetailsGroup"/>
            <xsd:group ref="cod:InternationalAddressDetailsGroup"/>
        </xsd:choice>
    </xsd:sequence>
</xsd:group>
<xsd:complexType name="ContactsType">
    <xsd:sequence>
        <xsd:element name="PermanentAddress" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>

```

```

CommonRecord40a.xsd
  <xsd:group ref="cod:GeneralAddressGroup"/>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="TemporaryAddress" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:group ref="cod:GeneralAddressGroup"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Phone" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="PhoneNumber" nillable="true" minOccurs="0" maxOccurs="3">
        <xsd:simpleType>
          <xsd:restriction base="xsd:string">
            <xsd:minLength value="7"/>
            <xsd:maxLength value="17"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Email" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="EmailAddress" nillable="true" minOccurs="0">
        <xsd:simpleType>
          <xsd:restriction base="xsd:string">
            <xsd:maxLength value="128"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="NameType">
  <xsd:sequence>

```

CommonRecord40a.xsd

```

<xsd:element name="FirstName" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:minLength value="0"/>
      <xsd:maxLength value="12"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="MiddleInitial" nillable="true" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:minLength value="0"/>
      <xsd:maxLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
<xsd:element name="LastName" minOccurs="0">
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:minLength value="0"/>
      <xsd:maxLength value="35"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="EndorserNameType">
  <xsd:sequence>
    <xsd:element name="FirstName" nillable="true" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:minLength value="0"/>
          <xsd:maxLength value="12"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="MiddleInitial" nillable="true" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:minLength value="0"/>
          <xsd:maxLength value="1"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>

```


CommonRecord40a.xsd

```
</xsd:simpleType>  
  </xsd:element>  
</xsd:sequence>  
</xsd:complexType>  
</xsd:schema>
```